MADE IN U.S.A.
GENUINE
Trussell
74 CL

Sceloporus orcutti

Code # 1

Sceloporus
orcutti

SPECIES *Sceloporus orcutti*

SACK NO. ______ SEX ♀ AGE ad.

WEIGHT(gms) ______ SNOUT-VENT LENGTH (mm) 88

DATE Aug. 10, 1958 SPEEDOMETER ______

LOCALITY UCR campus, Riverside Co., Calif.

STANDARD TIME ______ CLOUDS ______

MOON (day) RELATIVE HUMIDITY(%) ______

WIND DIRECTION ______ ALTITUDE(ft) 1200

WIND VELOCITY(miles/hour) ______ TAG NO. 1

AIR TEMPERATURE ______ °C ______ °F

ROAD TEMPERATURE ______ °C ______ °F

SOIL SURFACE TEMPERATURE ______ °C ______ °F

CLOACAL TEMPERATURE ______ °C ______ °F

HABITAT Rock outcrop in open coastal chaparral.

REMARKS: ______

SPECIES Sceloporus orcutti

SACK NO. ______ SEX ♀ AGE ad.

WEIGHT (gms) ______ SNOUT-VENT LENGTH (mm) 95

DATE July 14, 1958 SPEEDOMETER ______

LOCALITY UCR campus, Riverside Co., Calif.

STANDARD TIME ______ CLOUDS ______

MOON (day) RELATIVE HUMIDITY (%) ______

WIND DIRECTION ______ ALTITUDE (ft) 1200

WIND VELOCITY (miles/hour) ______ TAG NO. 2

AIR TEMPERATURE ______ °C ______ °F

ROAD TEMPERATURE ______ °C ______ °F

SOIL SURFACE TEMPERATURE ______ °C ______ °F

CLOACAL TEMPERATURE ______ °C ______ °F

HABITAT Rock outcrop in open coastal chaparral.

REMARKS: Killed Aug. 7, 1958 (blinded by ants).

Digitized by the Internet Archive
in 2017 with funding from
CLIR

https://archive.org/details/code1sceloporuso00mayh

SPECIES Sceloporus orcutti

SACK NO. ______ SEX ♀ AGE ad. ?

WEIGHT(gms) ______ SNOUT-VENT LENGTH (mm) 83

DATE Aug. 10, 1958 SPEEDOMETER ______

LOCALITY UCR campus, Riverside Co., Calif.

______

STANDARD TIME ______ CLOUDS ______

MOON (day) RELATIVE HUMIDITY(%) ______

WIND DIRECTION ______ ALTITUDE(ft) 1200

WIND VELOCITY(miles/hour) ______ TAG NO. 3

AIR TEMPERATURE ______ °C ______ °F

ROAD TEMPERATURE ______ °C ______ °F

SOIL SURFACE TEMPERATURE ______ °C ______ °F

CLOACAL TEMPERATURE ______ °C ______ °F

HABITAT Rock outcrop in open coastal chaparral.

REMARKS: ______

SPECIES *Sceloporus orcutti*

SACK NO. ______ SEX ♂ AGE ad.

WEIGHT (gms) ______ SNOUT-VENT LENGTH (mm) 107

DATE Aug. 8, 1958 SPEEDOMETER ______

LOCALITY UCR campus, Riverside Co., Calif.

______

STANDARD TIME ______ CLOUDS ______

MOON (day) RELATIVE HUMIDITY (%) ______

WIND DIRECTION ______ ALTITUDE (ft) 1200

WIND VELOCITY (miles/hour) ______ TAG NO. 4

AIR TEMPERATURE ______ °C ______ °F

ROAD TEMPERATURE ______ °C ______ °F

SOIL SURFACE TEMPERATURE ______ °C ______ °F

CLOACAL TEMPERATURE ______ °C ______ °F

HABITAT Rock outcrop in open coastal chaparral.

REMARKS: ______

SPECIES *Sceloporus orcutti*

SACK NO. ______ SEX ♂ AGE ad.

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 106

DATE Aug. 21, 1958 SPEEDOMETER ______

LOCALITY UCR campus, Riverside Co., Calif.

STANDARD TIME ______ CLOUDS ______

MOON (day) RELATIVE HUMIDITY(%) ______

WIND DIRECTION ______ ALTITUDE(ft) 1200

WIND VELOCITY(miles/hour) ______ TAG NO. 5

AIR TEMPERATURE ______ °C ______ °F

ROAD TEMPERATURE ______ °C ______ °F

SOIL SURFACE TEMPERATURE ______ °C ______ °F

CLOACAL TEMPERATURE ______ °C ______ °F

HABITAT Rock outcrop in open coastal chaparral.

REMARKS: ______

SPECIES Sceloporus orcutti

SACK NO. ______ SEX ♂ AGE ad.

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 109

DATE Aug. 21, 1958 SPEEDOMETER ______

LOCALITY UCR campus, Riverside Co., Calif.

STANDARD TIME ______ CLOUDS ______

MOON (day) RELATIVE HUMIDITY(%) ______

WIND DIRECTION ______ ALTITUDE(ft) 1200

WIND VELOCITY(miles/hour) ______ TAG NO. 6

AIR TEMPERATURE ______ °C ______ °F

ROAD TEMPERATURE ______ °C ______ °F

SOIL SURFACE TEMPERATURE ______ °C ______ °F

CLOACAL TEMPERATURE ______ °C ______ °F

HABITAT Rock outcrop in open coastal chaparral.

REMARKS: ______

SPECIES Sceloporus orcutti

SACK NO. ______ SEX ♂ AGE ad.

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 90

DATE Aug. 21, 1958 SPEEDOMETER ______

LOCALITY UCR campus, Riverside Co., Calif.

STANDARD TIME ______ CLOUDS ______

MOON (day) RELATIVE HUMIDITY(%) ______

WIND DIRECTION ______ ALTITUDE(ft) 1200

WIND VELOCITY(miles/hour) ______ TAG NO. 7

AIR TEMPERATURE ______ °C ______ °F

ROAD TEMPERATURE ______ °C ______ °F

SOIL SURFACE TEMPERATURE ______ °C ______ °F

CLOACAL TEMPERATURE ______ °C ______ °F

HABITAT Rock outcrop in open coastal chaparral.

REMARKS: ______

[illegible] Sceloporus orcutti

BASE NO. ______ SEX ♀ AGE ad.

WEIGHT(gms) ______ SNOUT-VENT LENGTH (mm) 88

DATE Aug. 22, 1958 [illegible] ______

LOCALITY Canyon Crest Drive, 2 mi. S. of UCR,
Riverside Co., Calif.

STANDARD TIME ______ CLOUDS ______

MOON (day) RELATIVE HUMIDITY(%) ______

WIND DIRECTION ______ ALTITUDE(Ft) 1200

WIND VELOCITY(miles/hour) ______ TAG NO. 8

AIR TEMPERATURE ______ °C ______ °F

ROAD TEMPERATURE ______ °C ______ °F

SOIL SURFACE TEMPERATURE ______ °C ______ °F

CLOACAL TEMPERATURE ______ °C ______ °F

HABITAT Rock outcrop in open coastal chaparral.

REMARKS: Reddish head.

SPECIES Sceloporus orcutti

SACK NO. ______ SEX ♀ AGE ad.

WEIGHT (GMS) ______ SNOUT-VENT LENGTH (mm) 91

DATE Aug. 22, 1958 COLLECTOR(S) ______

LOCALITY Canyon Crest Drive, 2 mi. S. of UCR,
Riverside Co., Calif.

STANDARD TIME ______ CLOUDS ______

TIME (day) RELATIVE HUMIDITY(%) ______

WIND DIRECTION ______ ALTITUDE(FT) 1200

WIND VELOCITY(MILES/HOUR) ______ I.D. NO. 9

AIR TEMPERATURE ______ °C ______ °F

ROAD TEMPERATURE ______ °C ______ °F

SOIL SURFACE TEMPERATURE ______ °C ______ °F

CLOACAL TEMPERATURE ______ °C ______ °F

HABITAT Rock outcrop in open coastal chaparral.

REMARKS ______

SPECIES *Sceloporus orcutti*

SACK NO. Y 11 SEX ♂ AGE ad.

WEIGHT(gms) ______ SNOUT-VENT LENGTH (mm) 83

DATE Sept. 12, 1958 SPEEDOMETER ——

LOCALITY Canyon Crest Drive, 2 mi. S. of UCR, Riverside Co., Calif.

STANDARD TIME 0930 CLOUDS none

MOON (day) RELATIVE HUMIDITY(%) ______

WIND DIRECTION none ALTITUDE(ft) ~1200

WIND VELOCITY(miles/hour) 0 TAG NO. 10

AIR TEMPERATURE 24.3 °C ______ °F

Rock (shade) ~~ROAD~~ TEMPERATURE 23.1 °C ______ °F

Rock (sun) ~~SOIL~~ SURFACE TEMPERATURE 37.8 °C ______ °F

CLOACAL TEMPERATURE ______ °C ______ °F

HABITAT Rock outcrop in open coastal chaparral.

REMARKS: no enlarged postanal scales, so thought it was a ♀. Apparently young ♂.

SPECIES *Sceloporus orcutti*

SACK NO. Y5 SEX ♂ AGE ad.

WEIGHT(gms) ______ SNOUT-VENT LENGTH (mm) 104

DATE Sept. 12, 1958 SPERMATOZOA ———

LOCALITY Canyon Crest Drive, 2 mi. S. of UCR, Riverside Co., Calif.

STANDARD TIME 0900 CLOUDS none

MOON (day) RELATIVE HUMIDITY(%) ______

WIND DIRECTION none ALTITUDE(ft) ~ 800

WIND VELOCITY(miles/hour) 0 TAG NO. 11

AIR TEMPERATURE 22.4 °C 72.4 °F

Rock (shade) ~~ROAD~~ TEMPERATURE 21.8 °C 71.2 °F

Rock (sun) ~~SOIL~~ SURFACE TEMPERATURE 36.2 °C 97.2 °F

CLOACAL TEMPERATURE ______ °C ______ °F

HABITAT Rock outcrop in open coastal chaparral.

REMARKS: ______

SPECIES *Sceloporus orcutti*

SACK NO. R 2 SEX ♂ AGE ad.

WEIGHT(gms) SNOUT-VENT LENGTH (mm) 106

DATE Sept. 12, 1958 SPEEDOMETER ——

LOCALITY Canyon Crest Drive, 2 mi. S. of UCR, Riverside Co., Calif.

STANDARD TIME 0820 CLOUDS none

MOON (day) RELATIVE HUMIDITY(%)

WIND DIRECTION none ALTITUDE(ft) ~800

WIND VELOCITY(miles/hour) 0 TAG NO. 12

AIR TEMPERATURE 19.8 °C °F

Rock (shade) ~~ROAD~~ TEMPERATURE 21.0 °C °F

Rock (sun) ~~SOIL~~ SURFACE TEMPERATURE 24.4 °C °F

CLOACAL TEMPERATURE °C °F

HABITAT Rock outcrop in open coastal chaparral.

REMARKS:

SPECIES Sceloporus orcutti

SACK NO. Y1 SEX ♂ AGE ad.

WEIGHT(gms) ______ SNOUT-VENT LENGTH (mm) 80

DATE Sept. 27, 1958 [illegible] ——

LOCALITY UCR campus, Riverside Co., Calif.
(outside the study area)

STANDARD TIME 0720 CLOUDS none

MOON —— RELATIVE HUMIDITY(%) ______

WIND DIRECTION none ALTITUDE(FT) 1200

WIND VELOCITY (miles/hour) 0 TAG NO. 13

AIR TEMPERATURE 32 °C ______ °F

ROAD TEMPERATURE ______ °C ______ °F

SOIL SURFACE TEMPERATURE ______ °C ______ °F

CLOACAL TEMPERATURE ______ °C ______ °F

HABITAT rock outcrop in coastal sage scrub.

REMARKS: ______

SPECIES *Sceloporus orcutti*

SACK NO. Y2 SEX ♀ AGE ad.

WEIGHT(gms) ______ SNOUT-VENT LENGTH (mm) 83

DATE Sept. 27, 1958 [illegible] ——

LOCALITY UCR campus, Riverside Co., Calif. (outside the study area)

STANDARD TIME 0715 CLOUDS none

MOON —— RELATIVE HUMIDITY(%) ______

WIND DIRECTION none ALTITUDE(ft) 1200

WIND VELOCITY (miles/hour) 0 TAG NO. 14

AIR TEMPERATURE 32 °C ______ °F

ROAD TEMPERATURE ______ °C ______ °F

SOIL SURFACE TEMPERATURE ______ °C ______ °F

CLOACAL TEMPERATURE ______ °C ______ °F

HABITAT rock outcrop in coastal sage scrub.

REMARKS: ______

SPECIES Sceloporus orcutti

SACK NO. Y5 SEX ♂ AGE ad.

WEIGHT(gms ________ SNOUT-VENT LENGTH(mm) 92

DATE Jan. 17, 1959 SPEEDOMETER 99786

LOCALITY 2 mi. S. of UCR campus,
Riverside Co., Calif.

STANDARD TIME 1430 CLOUDS none

MOON —— RELATIVE HUMIDITY(%) ________

WIND DIRECTION none ALTITUDE(ft) 1200

WIND VELOCITY(miles/hour) 0 TAG NO. 15

AIR TEMPERATURE 28 °C ________ °F

Rock (increvice where lizard was seen)
~~ROAD~~ TEMPERATURE 27.4 °C ________ °F

Rock
~~SOIL~~ SURFACE TEMPERATURE 38.5 °C ________ °F

CLOACAL TEMPERATURE ________ °C ________ °F

HABITAT rock outcrop in coastal sage scrub.

REMARKS: ________

SPECIES Sceloporus orcutti

SACK NO. Y 8 SEX ♂ AGE ad.

WEIGHT(gms ______ SNOUT-VENT LENGTH(mm) 92

DATE Jan. 17, 1959 SPEEDOMETER 99786

LOCALITY 2 mi. S. of UCR campus,
Riverside Co., Calif.

STANDARD TIME 1430 CLOUDS none

MOON — RELATIVE HUMIDITY(%) ______

WIND DIRECTION none ALTITUDE(ft) 1200

WIND VELOCITY(miles/hour) 0 TAG NO. 16

AIR TEMPERATURE 28 °C ______ °F

Rock (on spot where lizard first seen)
~~ROAD~~ TEMPERATURE 34.2 °C ______ °F

Rock
~~SOIL~~ SURFACE TEMPERATURE 38.5 °C ______ °F

CLOACAL TEMPERATURE ______ °C ______ °F

HABITAT rock outcrop in coastal sage scrub.

REMARKS: ______

SPECIES *Sceloporus orcutti*

SACK NO. Y 8 SEX ♀ AGE ad.

WEIGHT(gms) ______ SNOUT-VENT LENGTH (mm) 91

DATE Mar. 3, 1959 SPEEDOMETER 464

LOCALITY 2 mi. S. of UCR campus, Riverside Co., Calif.

STANDARD TIME 1305 CLOUDS none

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION ~~E S~~ N.W. ALTITUDE(ft) 1200

WIND VELOCITY (miles/hour) 1-5 TAG NO. 17

AIR TEMPERATURE 27.5 °C ______ °F

Rock ~~ROAD~~ TEMPERATURE 42 °C ______ °F

SOIL SURFACE TEMPERATURE 42.5 °C ______ °F

CLOACAL TEMPERATURE ______ °C ______ °F

HABITAT Rock outcrop in coastal sage scrub.

REMARKS: ______

Sceloporus orcutti

[illegible] Y6 [illegible] ♀ [illegible] Ad

[illegible] [illegible] 97

[illegible] Mar 3 1959 [illegible] 464

LOCALITY 2 mi So. of UCR campus, Riverside Co., Calif.

STANDARD TIME ____ CLOUDS None

[illegible] — [illegible] —

[illegible] N.W. [illegible] 1200

[illegible] 1-5 [illegible] 18

[illegible] 27.5

Rock ~~[illegible]~~ TEMPERATURE 42 °C ____ °F

SOIL SURFACE TEMPERATURE 42.5 °C ____ °F

CLOACAL TEMPERATURE ____ °C ____ °F

HABITAT Rock outcrop in Coastal Sage Scrub.

REMARKS: ____

Sceloporus orcutti

SPEC. NO. Y 9 SEX ♂ AGE ad.

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 196

DATE Mar. 3, 1959 [illegible] 464

LOCALITY 2 mi. S. of UCR campus, Riverside Co., Calif.

STANDARD TIME 1331 CLOUDS none

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.W. ALTITUDE(ft) 1200

WIND VELOCITY(miles/hour) 1-5 TAG NO. 19

AIR TEMPERATURE 27.5 °C ______ °F

Rock ~~ROAD~~ TEMPERATURE 42 °C ______ °F

SOIL SURFACE TEMPERATURE 42.5 °C ______ °F

CLOACAL TEMPERATURE ______ °C ______ °F

HABITAT Rock outcrop in coastal sage scrub.

REMARKS: ______

Sceloporus orcutti 20

R22 ♀ ad. 13

97

Apr. 11, 1959 —

UCR campus

Riverside Calif.

1025 none

— —

S. E. 1200

1-3

27.8 30.0

31.4

rock outcrop in coastal sage scrub.

#13, paint still on back so that # could be read. Caught ~75 yds. above (east) release point. (Crossed 2 roads)

Sceloporus orcutti 21

R16 ♂ ad.

99

Apr. 11, 1959 —

UCR campus

Riverside Calif.

0910 none

— —

S.E. 1200

1-3

27.8 30.0

31.4

rock outcrop in coastal sage scrub.

Sceloporus orcutti 23

Y8 ♂ ad.

110

May 29, 1959 7696

12 mi. S.E. of Riverside on Pigeon Pass Road.

Riverside STATE Calif.

STARTING TIME 1345 CLOUDS(% overcast) 0

— RELATIVE HUMIDITY(%) —

WIND DIRECTION N. W. 1500

5-7

24.6 35.0

SURFACE TEMP 55.5

HABITAT Rocky outcrop in coastal sage scrub.

REMARKS: sitting in sun on a rock.

Sceloporus orcutti 24

Y6 ♂ ad.

101

May 29, 1959 7700

LOCALITY Top of Box Springs Mts., 4 mi. E. of Riverside

COUNTY Riverside STATE Calif.

STANDARD TIME 1430 CLOUDS(% overcast) 0

RAIN — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.W. ALTITUDE(ft.) 3000

WIND VELOCITY(mi./hr.) 5-7 HEAD TEMP.

AIR TEMP (30 in) 20.3 °C AIR TEMP(1 in) 24.5

SURFACE TEMP 36.5 °C CLOACAL TEMP

ROCK SURFACE TEMP 35.0 °C

HABITAT Rocky outcrop in coastal sage scrub.

REMARKS: Seen sitting on a rock in the sunshine.

SPECIES *Sceloporus orcutti* TAG NO. 25

COLLECTOR NO. R 8 SEX ♂ AGE ad. TRANSECT

WEIGHT(gm) SNOUT-VENT LENGTH(mm) 111

DATE May 29, 1959 SPEEDOMETER 7700

LOCALITY 4 mi. E. of Riverside (Top of Box Springs Mts.)

COUNTY Riverside STATE Calif.

STANDARD TIME 1435 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S. W. ALTITUDE(ft.) 3000

WIND VELOCITY(mi/hr) 5-7 ROAD TEMP.

AIR TEMP (30 in) 20.3 °C AIR TEMP(1 cm) 24.5

SOIL SURFACE TEMP 36.5 °C CLOACAL TEMP

ROCK SURFACE TEMP 35.0 °C

HABITAT Rocky outcrop in coastal sage scrub.

REMARKS seen sitting in sun on a rock.

Sceloporus orcutti 26

Rl ♀ ad

SNOUT-VENT LENGTH 94

May 29, 1959 7696

LOCALITY 12 mi. S.E. of Riverside on Pigeon Pass Road

COUNTY Riverside STATE Calif.

STANDARD TIME 1340 CLOUDS(% overcast) 0

RELATIVE HUMIDITY(%) —

WIND DIRECTION N.W. ALTITUDE(ft.) 1500

WIND VELOCITY(mi./hr.) 5-7 ROAD TEMP.

AIR TEMP (30 in) 24.6 °C AIR TEMP(1 cm) 35.0

SURFACE TEMP 55.5 °C CLOACAL TEMP

ROCK SURFACE TEMP °C

HABITAT Rocky outcrop in coastal sage scrub.

REMARKS: sitting in sun on rock

SPECIES Sceloporus orcutti TAG NO. 27

CONTAINER NO. Y10 SEX ♀ AGE ad.

WEIGHT(gm) SNOUT-VENT LENGTH(mm) 92

DATE May 29, 1959 SPEEDOMETER 7700

LOCALITY 4 mi. E. of Riverside (Top of Box Springs Mts.)

COUNTY Riverside STATE Calif.

STANDARD TIME 1445 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.W. ALTITUDE(ft.) 3000

WIND VELOCITY(mi/hr) 5-7 ROAD TEMP.

AIR TEMP (30 in) 20.3 °C AIR TEMP(1 cm) 24.5

SOIL SURFACE TEMP 36.5 °C CLOACAL TEMP

ROCK SURFACE TEMP 35.0 °C

HABITAT Rocky outcrop in coastal sage scrub.

REMARKS sitting in sun on a rock.

SPECIES Sceloporus orcutti CAT. NO. 28

CONTAINER NO. Y13 SEX ♀ AGE ad SKELETON

WEIGHT(gm) SNOUT-VENT LENGTH(mm) 74

DATE May 29, 1959 SPEEDOMETER 7700

LOCALITY 4 mi. E. of Riverside (Top of Box Springs Mts.)

COUNTY Riverside STATE Calif.

STANDARD TIME 1520 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.W. ALTITUDE(ft.) 3000

WIND VELOCITY(mi/hr) 5-7 ROAD TEMP.

AIR TEMP (30 in) 20.3 °C AIR TEMP(1 cm) 24.5

SOIL SURFACE TEMP 36.5 °C CLOACAL TEMP

ROCK SURFACE TEMP 35.0 °C

HABITAT Rocky outcrop in coastal sage scrub.

REMARKS: seen sitting in sun on a rock.

Sceloporus orcutti 29

Y1 ♂ ad.

92

June 24, 1959 9261

3 mi. N. of Sunnymead

Riverside

0805 0

— 38

0 1850

0

27.8 28.9

47.0

33.8

rocky outcrop in coastal sage scrub.

sitting in sun on top of rock

Sceloporus orcutti 30

R11 ♂ ad.

93

June 24, 1959 9261

3 mi. N. of Sunnymead

Riverside

0850 0

— 38

0 1850

0

27.8 28.9

47.0

33.8

rocky outcrop in coastal sage scrub.

sitting in shade of rock

Sceloporus orcutti 31

Y10 ♂ imm.

58

June 24, 1959 9261

3 mi. N. of Sunnymead

Riverside

0812 0

— 38

0 1850

0

27.8 28.9

47.0

33.8

rocky outcrop in coastal sage scrub

sitting in sun on rock.

Sceloporus orcutti 32

R7 ♀ ad.? 1

78

June 24, 1959 9261

3 mi. N. of Sunnymead

Riverside

0810 0

— 38

0 1850

0

27.8 28.9

47.0

33.8

rocky outcrop in coastal sage scrub.

sitting in sun on rock

Sceloporus orcutti 33

R16 ♀ IMM.

62

24 June 1959 9261.7

3 mi. N. of Sunnymead

Riverside

0910 0

— 32%

~~[illegible]~~ SE 1850

0-2

29.6 31.8

45.0

39.5

Rocky outcrop in Coastal Sage Scrub

S. Hing in shade of rock

Sceloporus orcutti 34

R11 ♂ ad. 8

110

July 7, 1959 —

UCR campus (station A)

Riverside

0735 0

— 59

0 1200

0

22.0 23.6

38.0 34.8

26.8

rocky outcrop in coastal sage scrub.

sitting on rock 8. Toe-clipped 7/7/58.
sitting on top of rock in sun. Chased a little before capture. Bright breeding colors. Gained 2 mm. in length in past year.

Sceloporus orcutti 35

Y10 ♂ ad. 31

96

July 7, 1959 —

UCR campus (B area)

Riverside

0955 0

—

S.W. 1200

0-2

29.0 32.0

45.4 34.2

49.5

rocky outcrop in coastal sage scrub.

sitting on #34 rock in sun. This is about 80 ft. S.E. of #31 rock. It had been chased rather extensively before it was captured. Bright breeding colors. This animal was first captured 7/16/58. Gained 2 mm. in length during past year.

Sceloporus orcutti 36

R 6 ♂ ad.

94

July 7, 1959 —

UCR campus (just above avocado grove)

Riverside

1030 0

— 29

0 1200

0

29.0 32.0

45.4 31.0

49.5

rocky outcrop in coastal sage scrub.

No chase. Sitting in partial shade on rock.

Sceloporus orcutti 37

B29 ♂ imm.

61

July 7, 1959 —

UCR campus (B area)

Riverside

0900 0

—

0 1200

0

26.2 27.5

38.2

36.8

rocky outcrop in coastal sage scrub.

sitting head downward on rock in shade.

Sceloporus orcutti 22

R7 ♂ ad.

101

Apr. 11, 1959 —

UCR campus

Riverside Calif.

0925 none

— —

S.E. 1200

1-3

27.8 30.0

31.4

rock outcrop in coastal sage scrub.

Sceloporus orcutti 38

R9 ♂ ad.

101

July 9, 1959 8910

4 mi. N.W. of Sunnymead

Riverside

0820 80 (thin)

— 29

S.E. 2200

3-7

34.5 37.0

41.4 32.7

39.5

rock outcrop in chaparral

sitting on rock in sun. Slight chase.

Sceloporus orcutti 39

Y11 ♂ ad.

90

July 9, 1959 8910

4 mi. N.W. of Sunnymead

Riverside

0915 80 (thin)

— 18

S. E. 2200

7-10

34.0 35.8

48.5 34.6

40.6

rock outcrop in chaparral.

sitting head downward in shade on side of rock. Dug out of soil at base of rock.

Sceloporus orcutti 40

R1 ♂ imm(?)

77

July 9, 1959 8910

4 mi. N.W. of Sunnymead

Riverside

0835 80 (Thin)

– 24

S.E. 2200

3 - 7

34.5 °C 37.0

41.4 °C 35.7

39.5 °C

rock outcrop in chaparral.

sitting in shade on rock. slight chase.

Sceloporus orcutti 41
Y 11 ♂ imm(?)
73
July 9, 1959 8910
4 mi. N. W. of Sunnymead
Riverside
0840 80 (thin)
— 24
S. E. 2200
3-7
34.5 37.0
41.4 37.0
39.5
rock outcrop in chaparral.

sitting in sun on rock. No chase.

Sceloporus orcutti 42

R18 ♂ imm.(?)

66

July 9, 1959 8910

4 mi. N.W. of Sunnymead

Riverside

0850 80 (thin)

— 20

S.E. 2200

3-7

34.0 35.8

48.5 35.8

40.6

rock outcrop in chaparral.

sitting on rock in shade. Slight chase.

Sceloporus orcutti 43

R11 ♂ imm.(?) 1

70

July 9, 1959 8910

LOCALITY 4 mi. N.W. of Sunnymead

COUNTY Riverside

STANDARD TIME 0920 CLOUDS (% Overcast) 70 (thin)

MOON — RELATIVE HUMIDITY(%) 17

WIND DIRECTION S.E. ALTITUDE(ft.) 2200

WIND VELOCITY (mi/hr) 7–10 DEAD TIME

AIR TEMP(30 in) 35.4 °C AIR TEMP(1 cm) 36.5 °C

SOIL SURFACE TEMP 41.8 °C CLOACAL TEMP 35.2

ROCK SURFACE TEMP °C

HABITAT rock outcrop in chaparral

REMARKS: sitting in shade on a rock. Chased into a cave. Slight chase. Caught on same rock as a Sceloporus occidentalis.

Sceloporus orcutti 44

B30 ♂ imm.(?)

65

July 9, 1959 8913

4 mi. N.W. of Sunnymead

Riverside

1045 50

— 17

S.E. 2600

3-7

37.9 41.2

53.0 36.0

rock outcrop in chaparral

sitting head downward on rock in shade. Slight chase.

Molting

Sceloporus orcutti 45

Y5 ♂ ad.

90

DATE July 9, 1959 8913

LOCALITY 4 mi. N.W. of Sunnymead

COUNTY Riverside STATE

STANDARD TIME 1055 CLOUDS (% Overcast) 50

MOON – RELATIVE HUMIDITY(%) 17

WIND DIRECTION S. E. ALTITUDE(ft.) 2600

WIND VELOCITY (mi/hr) 3-7 ROAD TEMP.

AIR TEMP(30 in) 37.9 °C AIR TEMP(1 cm) 41.2

SOIL SURFACE TEMP 53.0 °C CLOACAL TEMP 37.3

ROCK SURFACE TEMP °C

HABITAT rock outcrop in chaparral,

REMARKS sitting head downward in shade on side of rock. Slight chase.

Sceloporus orcutti 46

R4 ♀ ad.

98

July 9, 1959 8908

3 mi. N. of Sunnymead

Riverside

0710 80 (thin)

— 39

0 1800

0

23.9 24.6

25.8 34.7

rock outcrop in coastal sage scrub.

sitting on rock in sun. No chase.

Sceloporus orcutti 47

R11 ♀ ad.

95

July 9, 1959 8910

4 mi. N.W. of Sunnymead

Riverside

0900 80 (thin)

— 19

S.E. 2200

3-7

34.0 35.8

48.5 36.5

40.6

rock outcrop in chaparral.

sitting head downward on shady side of a rock. No chase.

Sceloporus orcutti 48

Y9 ♀ ad.

95

July 9, 1959 8913

4 mi. N.W. of Sunnymead

Riverside

1000 50

— 17

0 2900

0

36.5 38.4

47.2

rock outcrop in chaparral.

sitting head downward in shade on a rock. Ran into a crevice and it required 30 minutes to dig it out.

Sceloporus orcutti 49

Y1 ♀ imm.(?)

66

July 9, 1959 8910

4 mi. N.W. of Sunnymead

Riverside

0832 80 (thin)

– 24

S.E. 2200

3-7

34.5 37.0

41.4 35.0

39.5

rock outcrop in chaparral.

sitting on rock in shade. No chase.

Sceloporus orcutti 50

R1 ♀ ad.(?)

80

July 9, 1959 8910

4 mi. N.W. of Sunnymead

Riverside

0905 80 (thin)

– 19

S.E. 2200

7–10

34.0 35.8

48.5 35.8

40.6

rock outcrop in chaparral.

sitting head downward on shady face of rock. No chase.

Sceloporus orcutti

R17 ♂ ad.

114

July 16, 1959 5904

4 mi. N.W. of Sunnymead

Riverside

0555 0

— 60

0 2200

0

22.3 22.3

23.0 28.8

23.8

rock outcrop in chaparral

sitting on rock in sun (sunrise at 0449). No chase.

Sceloporus orcutti 52

R17 ♀ ad.

89

July 16, 1959 5904

4 mi. N.W. of Sunnymead

Riverside

0559 0

— 60

0 2200

0

22.3 °C 22.3

23.0 °C 28.8

23.8 °C

rock outcrop in chaparral

sitting in sun on top of rock. Slight chase.

Sceloporus orcutti

R8 ♀ ad.

80

July 16, 1959 5906

4 mi. N.W. of Sunnymead

Riverside

0705 0

\- 33

0 2850

0

26.0 27.2

29.4

rock outcrop in chaparral

sitting head downward in sun on side of a rock. Finally dug out of a crevice by hand.

Sceloporus orcutti 54

B18 ♀ imm.

63

July 16, 1959 5906

4 mi. N. W. of Sunnymead

Riverside

0715 0

— 33

0 2850

0

26.0 27.2

29.4 33.4

rock outcrop in chaparral

slight chase. Sitting in sun on a rock.

Sceloporus orcutti 55

Y10 ♂ ad.

110

July 16, 1959 5906

4 mi. N.W. of Sunnymead

Riverside

0720 0

– 36

0 2850

0

28.8 30.0

39.9 32.8

rock outcrop in chaparral

Sitting in sun on rock. Very short chase.

Sceloporus orcutti 56

R20 ♂ ad.

107

July 16, 1959 5906

4 mi. N.W. of Sunnymead

Riverside

0735 0

— 36

0 2850

0

28.8 30.0

39.9 32.8

rock outcrop in chaparral

sitting in sun on a rock. Slight chase.

SPECIES Sceloporus orcutti TAG. NO. 57

CONTAINER NO. Y8 SEX ♂ AGE ad. TOE CLIP #

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 99

DATE July 16, 1959 SPEEDOMETER 5906

LOCALITY 4 mi. N.W. of Sunnymead

COUNTY Riverside CALIF.

STANDARD TIME 0825 CLOUDS (% Overcast) 0

MOON — RELATIVE HUMIDITY(%) 36

WIND DIRECTION 0 ALTITUDE(ft.) 2850

WIND VELOCITY (mi/hr) 0 ROAD TEMP.

AIR TEMP(30 in) 28.8 °C AIR TEMP(1 cm) 30.0 °C

SOIL SURFACE TEMP 39.9 °C CLOACAL TEMP 32.4 °C

ROCK SURFACE TEMP °C

HABITAT rock outcrop in chaparral

REMARKS: sitting in sun on rock. No chase.

SPECIES Sceloporus orcutti TAG. NO. 58

CONTAINER NO. R11 SEX ♀ AGE ad. TOE CLIP #

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 104

DATE July 16, 1959 SPEEDOMETER 5906

LOCALITY 4 mi. N. W. of Sunnymead

COUNTY Riverside CALIF.

STANDARD TIME 0925 CLOUDS (% Overcast) 0

MOON — RELATIVE HUMIDITY(%) 42

WIND DIRECTION 0 ALTITUDE(ft.) 2850

WIND VELOCITY (mi/hr) 0 ROAD TEMP.

AIR TEMP(30 in) 28.5 °C AIR TEMP(1 cm) 30.5 °C

SOIL SURFACE TEMP 52.0 °C CLOACAL TEMP 29.6 °C

ROCK SURFACE TEMP 34.5 °C

HABITAT rock outcrop in chaparral

REMARKS: sitting on a rock in the shade. Slight chase. 6 eggs in left oviduct; 5 eggs in right oviduct.

Left oviduct	Right oviduct
15.6 X 10.5 mm.	15.2 X 10.7 mm.
15.4 X 9.7 "	15.0 X 10.3 "
15.0 X 10.6 "	15.0 X 10.3 "
15.6 X 10.4 "	14.8 X 10.9 "
16.2 X 10.7 "	15.7 X 9.7 "
15.1 X 10.1 "	

5 corpora lutea in left ovary; 6 in right ovary.

SPECIES Sceloporus orcutti TAG. NO. 59

CONTAINER NO. R14 SEX ♂ AGE ad. TOE CLIP #

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 111

DATE July 16, 1959 SPEEDOMETER 5906

LOCALITY 4 mi. N. W. of Sunnymead

COUNTY Riverside CALIF.

STANDARD TIME 0945 CLOUDS (% Overcast) 0

MOON — RELATIVE HUMIDITY(%) 42

WIND DIRECTION 0 ALTITUDE(ft.) 2850

WIND VELOCITY (mi/hr) 0 ROAD TEMP.

AIR TEMP(30 in) 28.5 °C AIR TEMP(1 cm) 30.5 °C

SOIL SURFACE TEMP 52.0 °C CLOACAL TEMP 33.3 °C

ROCK SURFACE TEMP 34.5 °C

HABITAT rock outcrop in chaparral

REMARKS: sitting in sun on a rock. No chase.

SPECIES Sceloporus orcutti TAG. NO. 60

CONTAINER NO. R21 SEX ♀ AGE ad. TOE CLIP #

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 90

DATE July 16, 1959 SPEEDOMETER 5906

LOCALITY 4 mi. N.W. of Sunnymead

COUNTY Riverside CALIF.

STANDARD TIME 0951 CLOUDS (% Overcast) 0

MOON — RELATIVE HUMIDITY(%) 42

WIND DIRECTION 0 ALTITUDE(ft.) 2850

WIND VELOCITY (mi/hr) 0 ROAD TEMP.

AIR TEMP(30 in) 28.5 °C AIR TEMP(1 cm) 30.5 °C

SOIL SURFACE TEMP 52.0 °C CLOACAL TEMP 32.1 °C

ROCK SURFACE TEMP 34.5 °C

HABITAT rock outcrop in chaparral

REMARKS: sitting on a rock in shade. No chase.

SPECIES Sceloporus orcutti TAG. NO. 61

CONTAINER NO. R 15 SEX ~~♀~~ ♂ AGE ad.? TOE CLIP #

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 80

DATE July 16, 1959 SPEEDOMETER 5906

LOCALITY 4 mi. N.W. of Sunnymead

COUNTY Riverside CALIF.

STANDARD TIME 1018 CLOUDS (% Overcast) 0

MOON — RELATIVE HUMIDITY(%) 42

WIND DIRECTION N.W. ALTITUDE(ft.) 2850

WIND VELOCITY (mi/hr) 3-5 ROAD TEMP.

AIR TEMP(30 in) 28.5 °C AIR TEMP(1 cm) 30.5 °C

SOIL SURFACE TEMP 52.0 °C CLOACAL TEMP 35.0 °C

ROCK SURFACE TEMP 34.5 °C

HABITAT rock outcrop in chaparral

REMARKS: sitting in sun on a rock, No chase.

Mistaken for ♀ because of absence of enlarged post-anal scales

SPECIES Sceloporus orcutti TAG. NO. 62

CONTAINER NO. R12 SEX ♂ AGE ad. TOE CLIP #

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 104

DATE July 16, 1959 SPEEDOMETER 5906

LOCALITY 4 mi. N. W. of Sunnymead

COUNTY Riverside CALIF.

STANDARD TIME 1105 CLOUDS (% Overcast) 0

MOON — RELATIVE HUMIDITY(%) 35

WIND DIRECTION N. W. ALTITUDE(ft.) 2850

WIND VELOCITY (mi/hr) 3-5 ROAD TEMP.

AIR TEMP(30 in) 33.0 °C AIR TEMP(1 cm) 39.0 °C

SOIL SURFACE TEMP 52.0 °C CLOACAL TEMP 32.5 °C

ROCK SURFACE TEMP 41.5 °C

HABITAT rock outcrop in chaparral

REMARKS: sitting on a rock in shade. Slight chase. Another ♂ caught on same rock,

SPECIES Sceloporus orcutti TAG. NO. 63

CONTAINER NO. R19 SEX ♂ AGE ad. TOE CLIP #

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 87

DATE July 16, 1959 SPEEDOMETER 5906

LOCALITY 4 mi. N.W. of Sunnymead

COUNTY Riverside CALIF.

STANDARD TIME 1105 CLOUDS (% Overcast) 0

MOON — RELATIVE HUMIDITY(%) 35

WIND DIRECTION N.W. ALTITUDE(ft.) 2850

WIND VELOCITY (mi/hr) 3-5 ROAD TEMP.

AIR TEMP(30 in) 33.0 °C AIR TEMP(1 cm) 39.0 °C

SOIL SURFACE TEMP 52.0 °C CLOACAL TEMP 30.5 °C

ROCK SURFACE TEMP 41.5 °C

HABITAT rock outcrop in chaparral

REMARKS: sitting in shade on a rock. No chase. Another ♂ caught on same rock.

Sceloporus orcutti 64

R9 ♀ ad.

96

July 18, 1959

Camp Emerson, 1 mi. from Idyllwild

Riverside

5200

coniferous forest

On granite rocks among Jeffrey pine, scrub oak, live oak, black oak, manzanita and incense cedar. (Caught by David Reuther). No other data available.

Sceloporus orcutti 65

R9 ♀ ad.

94

July 18, 1959

Camp Emerson, 1mi. from Idyllwild

Riverside

5200

coniferous forest

on granite rocks among Jeffry pine, scrub oak, live oak, black oak, manzanita and incense cedar. (Caught by David Reuther). No other data available.

Sceloporus orcutti

— ♂ ad(?)

68 (capture)
81 (autopsy)

Aug. 21, 1958 —

UCR campus
Riverside

rocky outcrop in coastal sage scrub.

Kept in captivity until July 27, 1959, at which time it was autopsied for reproductive organs.

SPECIES Sceloporus orcutti TAG. NO. [redacted] 67

CONTAINER NO. R9 SEX ♂ AGE Ad TOE CLIP #

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 107

DATE 5 Aug 1959 SPEEDOMETER 29335

LOCALITY 4 mi N.W. of Sunnymead

COUNTY Riverside CALIF.

STANDARD TIME 0645 CLOUDS (% Overcast) 0

MOON ——— RELATIVE HUMIDITY(%) 40

WIND DIRECTION ALTITUDE(ft.) 2200

WIND VELOCITY (mi/hr) ROAD TEMP.

AIR TEMP(30 in) 22 °C AIR TEMP(1 cm) 22.5 °C

SOIL SURFACE TEMP 27 °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C

HABITAT Rocky outcrop in Chaparral

REMARKS: Sitting in sun on rock.
Dug into soil under rock, where it was captured.

SPECIES Sceloporus orcutti TAG NO. 68

CONTAINER NO. R11 SEX ♂ AGE Ad TOE CLIPS [illegible]

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 112

DATE 5 Aug 59 SPEEDOMETER 29335

LOCALITY 4 mi N.W. of Sunnymead

COUNTY Riverside CALIF.

STANDARD TIME 0710 CLOUDS(% overcast) ______

MOON ______ RELATIVE HUMIDITY(%) 40

WIND DIRECTION ______ ALTITUDE(ft.) 2200

WIND VELOCITY (mi/hr) ______ ROAD TEMP. ______

AIR TEMP (30 in) 22 °C AIR TEMP(1cm) 22.5 °C

SOIL SURFACE TEMP 27 °C CLOACAL TEMP ______ °C

ROCK SURFACE TEMP ______ °C

HABITAT Rocky outcrop in chaparral

REMARKS: Sitting in full sun on rock surface.

SPECIES Sceloporus orcutti. TAG NO. 69

CONTAINER NO. R9 SEX ♂ AGE Imm. TOE CLIP?

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 70

DATE 5 Aug 59 SPEEDOMETER 29335

LOCALITY 4 mi N.W. of Sunnymead

COUNTY Riverside CALIF.

STANDARD TIME 0715 CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%) 40

WIND DIRECTION ALTITUDE(ft.) 2200

WIND VELOCITY (mi/hr) ROAD TEMP.

AIR TEMP (30 in) 22 °C AIR TEMP(1cm) 22.5 °C

SOIL SURFACE TEMP 27 °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C

HABITAT Rocky outcrop in Chaparral

REMARKS: Sitting in sun on rock

SPECIES Sceloporus orcutti TAG NO. 70

CONTAINER NO. R8 SEX ♂ AGE Ad TOE CLIP

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 106

DATE 5 Aug 59 SPEEDOMETER 29335

LOCALITY 4 mi N.W. of Sunnymead

COUNTY Riverside CALIF.

STANDARD TIME 0720 CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%) 40

WIND DIRECTION ALTITUDE(ft.) 2200

WIND VELOCITY (mi/hr) ROAD TEMP.

AIR TEMP (30 in) 22 °C AIR TEMP(1cm) 22.5 °C

SOIL SURFACE TEMP 27 °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C

HABITAT Rocky outcrop in Chaparral

REMARKS: Sitting in sun on rock

SPECIES Sceloporus orcutti TAG. NO. 71

CONTAINER NO. R4 SEX ♂ AGE Ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 93

DATE 5 Aug 1959 SPEEDOMETER 29335

LOCALITY 4 mi N.W. of Sunnymead

COUNTY Riverside CALIF.

STANDARD TIME 0725 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%) 40

WIND DIRECTION ALTITUDE(ft.) 2200

WIND VELOCITY (mi/hr) ROAD TEMP.

AIR TEMP (30 in) 22 °C AIR TEMP(1cm) 22.5 °C

SOIL SURFACE TEMP 27 °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C

HABITAT Rocky outcrop in Chaparral

REMARKS: Sitting in sun on rock

SPECIES Sceloporus orcutti TAG. NO. 72

CONTAINER NO. Y/10 SEX ♂ AGE Ad TOE CLIPS

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 102

DATE 5 Aug. '59 SPEEDOMETER 29335

LOCALITY 4 mi N.W. of Sunnymead

COUNTY Riverside CALIF.

STANDARD TIME 0745 CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%) 40

WIND DIRECTION ALTITUDE(ft.) 2200

WIND VELOCITY (mi/hr) ROAD TEMP.

AIR TEMP (30 in) 24 °C AIR TEMP(1cm) 26 °C

SOIL SURFACE TEMP 36 °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C

HABITAT Rocky outcrop in Chaparral

REMARKS: Basking in sun on rock

Right testis had large (~7.5 mm x 6 mm), irregularly shaped growth where lobe of ~~liver~~ attaches. This mass contained several globules (~3.0 mm diam) which, when opened contained a soft, shapeless mass. No evidence of life (parasites) could be found. The testis had produced live sperm.

SPECIES Sceloporus orcutti. TAG. NO. 73

CONTAINER NO. Y 11 SEX ♀ AGE Ad TOE CLIP

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 80

DATE 5 Aug '59 SPEEDOMETER 29337

LOCALITY 3 Mi. N. of Sunnymead

COUNTY Riverside CALIF.

STANDARD TIME 0905 CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%) 34

WIND DIRECTION W ALTITUDE(ft.) 1800

WIND VELOCITY (mi/hr) 3-5 ROAD TEMP.

AIR TEMP (30 in) 28.5 °C AIR TEMP(1cm) 30.5 °C

SOIL SURFACE TEMP 42 °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C

HABITAT Rocky outcrop in chaparral

REMARKS: Sitting on shady side of rock, facing sun, with body held up in sun's rays.

SPECIES Sceloporus orcutti. CAT. NO. 74

FIELD NO. R9 SEX ♂ AGE Ad

WEIGHT(gm) SNOUT-VENT LENGTH(mm) 109

DATE 12 Aug. 1959 COLLECTOR

LOCALITY 2 mi So. of UCR,

COUNTY Riverside STATE

OBSERVED TIME 0700 CLOUDS(% overcast) —

RAIN — RELATIVE HUMIDITY(%) 64

SUN CONDITION ALTITUDE(ft.) 1200

WIND VELOCITY (mi/hr) 0 ROAD TEMP

AIR TEMP (30 in) 22 °C AIR TEMP(1cm) 24.5 °C

SOIL SURFACE TEMP 24 °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C

HABITAT Rocky outcrop in coastal sage scrub

REMARKS Sunning on rock face

Sceloporus orcutti. 75—

R9 ♂ Imm

7.9 61

12 Aug 1959

2 mi S. of UCR

Riverside

0725

64

1200

27 28

30.5

Rocky outcrop in coastal sage scrub

Sunning

Sceloporus orcutti. 76

R17 ♀ Ad

SNOUT-VENT LENGTH(mm) 93

12 Aug 1959

LOCALITY 2 mi So. of UCR

Riverside

STANDARD TIME 0740

RELATIVE HUMIDITY(%) 64

ALTITUDE(ft.) 1200

WIND VELOCITY (mi/hr) ROAD TEMP.

AIR TEMP (30 in) 27 °C AIR TEMP(1cm) 28 °C

SOIL SURFACE TEMP 30.5 °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C

HABITAT Rocky outcrop in coastal sage scrub

REMARKS: Sunning

SPECIES *Sceloporus orcutti* CAT. NO. 77

FIELD NO. R17 SEX ♂ AGE Ad

WEIGHT(gm) SNOUT-VENT LENGTH(mm) 100

DATE 12 Aug 1959 COLLECTOR(S)

LOCALITY 2 mi So. of UCR

COUNTY Riverside CALIF.

STANDARD TIME 0745 CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft.) 1200

WIND VELOCITY (mi/hr) SOLAR TIME

AIR TEMP (30 in) 27 °C AIR TEMP(1cm) 28

SOIL SURFACE TEMP 30.5 °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C

HABITAT Rocky outcrop in coastal sage scrub.

REMARKS Basking

SPECIES Sceloporus orcutti. SPECIMEN NO. 78

ACCESSION NO. Y8 SEX ♀ AGE Imm

WEIGHT(gm) ______ SNOUT-VENT LENGTH(mm) 72

DATE 12 Aug 59 COLLECTOR ______

LOCALITY 2 mi So. of UCR

COUNTY Riverside STATE ______

STANDARD TIME 0750 CLOUDS(% overcast) ______

WIND ______ RELATIVE HUMIDITY(%) 64

WIND DIRECTION ______ ALTITUDE(ft.) 1200

WIND VELOCITY (mi/hr) ______ ROAD TEMP. ______

AIR TEMP (30 in) 27 °C AIR TEMP(1cm) 28 °C

SOIL SURFACE TEMP 30.5 °C CLOACAL TEMP ______ °C

ROCK SURFACE TEMP ______ °C

HABITAT Rocky outcrop in coastal sage scrub

REMARKS: Basking

SPECIES Sceloporus orcutti TAG. NO. 79

CONTAINER NO. Y10 SEX ♂ AGE Ad. TOE CLIP

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 106

DATE 12 Aug 1959 SPEEDOMETER

LOCALITY 3 mi N. of Sunnymead

COUNTY Riverside CALIF.

STANDARD TIME 1015 CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%) 50

WIND DIRECTION ALTITUDE(ft.) 1800

WIND VELOCITY (mi/hr) ROAD TEMP.

AIR TEMP (30 in) 31 °C AIR TEMP(1cm) 36 °C

SOIL SURFACE TEMP 51 °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C

HABITAT Rocky outcrop in coastal sage scrub.

REMARKS: Sitting in shade.

Sceloporus orcutti 80

Y20 ♀ Ad.

WEIGHT (gm): SNOUT-VENT LENGTH(mm) 95

DATE 12 Aug 1959 OBSERVER

LOCALITY 3 mi N. of Sunnymead.

COUNTY Riverside STATE

STANDARD TIME 1020 CLOUDS(% overcast)

FOOD: RELATIVE HUMIDITY(%) 50

WIND DIRECTION ALTITUDE(ft) 1800

WIND VELOCITY (mi/hr) ROAD TYPE —

AIR TEMP (30 in) 31 °C AIR TEMP(1cm) 36

SOIL SURFACE TEMP 51 °C CLOACAL TEMP

ROCK SURFACE TEMP °C

HABITAT: Rocky outcrop in coastal sage scrub.

REMARKS: Sitting with body a right angles to sun.

Sceloporus orcutti 81

Y1 ♂ Ad.

WEIGHT (gm) SNOUT-VENT LENGTH(mm) 95

DATE 12 Aug 1959 COLLECTOR

LOCALITY 3 mi No of UCR

COUNTY Riverside CALIF.

STANDARD TIME 1100 CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%) 30%

WIND DIRECTION ALTITUDE(ft) 1800

WIND VELOCITY (mi/hr) HEAD TEMP

AIR TEMP (30 in) 31 °C AIR TEMP(1cm) 36

SOIL SURFACE TEMP 52.5 °C CLOACAL TEMP

ROCK SURFACE TEMP °C

HABITAT Rocky outcrop in coastal sage scrub

REMARKS Sitting in shade.

SPECIES Sceloporus orcutti TAG. NO. 82

CONTAINER NO. YH SEX ♂ AGE Imm TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 71

DATE 12 Aug 59 SPEEDOMETER

LOCALITY 3 mi N. of UCR

COUNTY Riverside CALIF.

STANDARD TIME 1100 CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%) 30

WIND DIRECTION ALTITUDE(ft.) 1800

WIND VELOCITY (mi/hr) ROAD TEMP.

AIR TEMP (30 in) 31 °C AIR TEMP(1cm) 36 °C

SOIL SURFACE TEMP 52.5 °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C

HABITAT Rocky outcrop in Coastal sage Scrub

REMARKS: Shade.

SPECIES Sceloporus orcutti TAG NO. 83

CONTAINER NO. ____ SEX ♀ AGE Imm TOE CLIP [redacted]

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 68

DATE 6 Aug '59 SPEEDOMETER ____

LOCALITY Camp Emerson

COUNTY Riverside CALIF.

STANDARD TIME 1200 / 1400 CLOUDS(% overcast) ____

MOON ____ RELATIVE HUMIDITY(%) ____

WIND DIRECTION ____ ALTITUDE(ft.) 5200

WIND VELOCITY (mi/hr) ____ ROAD TEMP. ____

AIR TEMP (30 in) ____ °C AIR TEMP(1cm) ____

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____

ROCK SURFACE TEMP ____ °C

HABITAT Coniferous forest.

REMARKS:

SPECIES Sceloporus orcutti TAG NO. 84

CONTAINER NO. ____ SEX ♀ AGE Ad TOE CLIP [redacted]

WEIGHT (gms) ____ SNOUT-VENT LENGTH (mm) 97

DATE 6 Aug 1959 SPEEDOMETER ____

LOCALITY Camp Emerson 2 mi S.W. of Idyllwild

COUNTY Riverside [redacted] CALIF.

STANDARD TIME 1200 1400 CLOUDS (% overcast) ____

MOON ____ RELATIVE HUMIDITY (%) ____

WIND DIRECTION ____ ALTITUDE (ft.) ____

WIND VELOCITY (mi/hr) ____ ROAD TEMP. ____

AIR TEMP (30 in) ____ °C AIR TEMP (1cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C

HABITAT Coniferous forest

REMARKS:

SPECIES Sceloporus orcutti TAG NO. 85

CONTAINER NO. ______ SEX ♀ AGE Ad. TOE CLIP [redacted]

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 94

DATE 6 Aug 1959 SPERMOMETER ______

LOCALITY Camp Emerson, 2 mi S.W. of Idyllwild

COUNTY Riverside CALIF.

STANDARD TIME 1200 1400 CLOUDS(% overcast) ______

MOON ______ RELATIVE HUMIDITY(%) ______

WIND DIRECTION ______ ALTITUDE(ft.) 5200

WIND VELOCITY (mi/hr) ______ ROAD TEMP. ______

AIR TEMP (30 in) ______ °C AIR TEMP(1cm) ______ °C

SOIL SURFACE TEMP ______ °C CLOACAL TEMP ______ °C

ROCK SURFACE TEMP ______ °C

HABITAT Coniferous forest.

REMARKS:

SPECIES Sceloporus orcutti TAG NO. 86

CONTAINER NO. ______ SEX ♀ AGE Imm TOE CLIPS --

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 70

DATE 6 Aug 1959 SPEEDOMETER ______

LOCALITY Camp Emerson

COUNTY Riverside CALIF.

STANDARD TIME 1200 1400 CLOUDS(% overcast) ______

MOON ______ RELATIVE HUMIDITY(%) ______

WIND DIRECTION ______ ALTITUDE(ft.) 5200

WIND VELOCITY (mi/hr) ______ ROAD TEMP. ______

AIR TEMP (30 in) ______ °C AIR TEMP(1cm) ______ °C

SOIL SURFACE TEMP ______ °C CLOACAL TEMP ______ °C

ROCK SURFACE TEMP ______ °C

HABITAT Coniferous forest

REMARKS:

SPECIES Sceloporus orcutti TAG NO. 87

CONTAINER NO. ______ SEX ♂ AGE Imm TOE CLIP [illegible]

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 72

DATE 6 Aug 1959 SPEEDOMETER ______

LOCALITY Camp Emerson

COUNTY Riverside CALIF.

STANDARD TIME 1200 1400 CLOUDS(% overcast) ______

MOON ______ RELATIVE HUMIDITY(%) ______

WIND DIRECTION ______ ALTITUDE(ft.) 5200

WIND VELOCITY (mi/hr) ______ ROAD TEMP. ______

AIR TEMP (30 in) ______ °C AIR TEMP(1cm) ______ °C

SOIL SURFACE TEMP ______ °C CLOACAL TEMP ______ °C

ROCK SURFACE TEMP ______ °C

HABITAT Coniferous forest

REMARKS:

SPECIES Sceloporus orcutti TAG NO. 88

CONTAINER NO. ______ SEX ♂ AGE Imm TOE CLIP ______

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 70

DATE 6 Aug 1959 SPEEDOMETER ______

LOCALITY Camp Emerson

COUNTY Riverside CALIF.

STANDARD TIME 1200 1400 CLOUDS(% overcast) ______

MOON ______ RELATIVE HUMIDITY(%) ______

WIND DIRECTION ______ ALTITUDE(Ft.) 5200

WIND VELOCITY (mi/hr) ______ ROAD TEMP. ______

AIR TEMP (30 in) ______ °C AIR TEMP(1cm) ______ °C

SOIL SURFACE TEMP ______ °C CLOACAL TEMP ______ °C

ROCK SURFACE TEMP ______ °C

HABITAT Coniferous forest

REMARKS:

SPECIES Sceloporus occidentalis FIELD NO. 89

CONTAINER NO. ____ SEX ♂ AGE Imm TOE CLIP ____

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 63

DATE 6 Aug 1959 SPEEDOMETER ____

LOCALITY Camp Emerson

COUNTY Riverside CALIF.

STANDARD TIME 1200 / 1400 CLOUDS(% overcast) ____

MOON ____ RELATIVE HUMIDITY(%) ____

WIND DIRECTION ____ ALTITUDE(Ft.) 5200

WIND VELOCITY (mi/hr) ____ ROAD TEMP. ____

AIR TEMP (30 in) ____ °C AIR TEMP(1cm) ____

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____

ROCK SURFACE TEMP ____ °C

HABITAT Coniferous forest

REMARKS: ____

SPECIES Sceloporus orcutti SER. NO. 90

CONTAINER NO. ______ SEX ♂ AGE Ad ______ TOE CLIP

WEIGHT(gms) ______ SNOUT-VENT LENGTH 101

DATE 6 Aug 1959 SPEEDOMETER ______

LOCALITY Camp Emerson, 2 mi S. W. of Idyllwild

COUNTY Riverside CALIF.

STANDARD TIME ~~1400~~ 1200 CLOUDS(% overcast) ______

MOON ______ RELATIVE HUMIDITY(%) ______

WIND DIRECTION ______ ALTITUDE(ft.) 5200

WIND VELOCITY (mi/hr) ______ ROAD TEMP. ______

AIR TEMP (30 in) ______ °C AIR TEMP(1cm) ______

SOIL SURFACE TEMP ______ °C CLOACAL TEMP ______

ROCK SURFACE TEMP ______ °C

HABITAT Coniferous forest.

REMARKS: Caught by Dave Ruether
No other data available

SPECIES *Sceloporus orcutti* TAG. NO. 91

CONTAINER NO. Y 8 SEX ♂ AGE ad. TOE CLIP # 1

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 101

DATE Mar. 14, 1960 SPEEDOMETER 20816

LOCALITY 3 mi. S.E. of Moreno

COUNTY Riverside CALIF.

STANDARD TIME 1025 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 46

WIND DIRECTION S.W. ALTITUDE(ft.) 1600

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. ______ °C

AIR TEMP(30 in) 19.0 °C AIR TEMP(1 cm) 22.5 °C

SOIL SURFACE TEMP ______ °C CLOACAL TEMP 33.0 °C

ROCK SURFACE TEMP 31.0 °C SUBSTRATE TEMP ______ °C

HABITAT rock outcrop in coastal sage scrub

CHASE 4 FEET

REMARKS: on rock in sun

SPECIES *Sceloporus orcutti* TAG. NO. 92

CONTAINER NO. B28 SEX ♀ AGE imm. TOE CLIP # 2

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 71

DATE Mar. 14, 1960 SPEEDOMETER 20816

LOCALITY 3 mi. S.E. of Moreno

COUNTY Riverside CALIF.

STANDARD TIME 1030 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 46

WIND DIRECTION S.W. ALTITUDE(ft.) 1600

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. ______ °C

AIR TEMP(30 in) 19.0 °C AIR TEMP(1 cm) 22.5 °C

SOIL SURFACE TEMP ______ °C CLOACAL TEMP 33.3 °C

ROCK SURFACE TEMP 31.0 °C SUBSTRATE TEMP ______ °C

HABITAT rock outcrop in coastal sage scrub

CHASE 2 FEET

REMARKS: in sun on rock

SPECIES *Sceloporus orcutti* TAG. NO. *93*

CONTAINER NO. *Y9* SEX *♂* AGE *ad.* TOE CLIP # *3*

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) *112*

DATE *Mar. 14, 1960* SPEEDOMETER *20827*

LOCALITY *4 mi.* ~~[illegible]~~ *S.E. of Nuevo*

COUNTY *Riverside* CALIF.

STANDARD TIME *1140* CLOUDS(% overcast) *0*

MOON *—* RELATIVE HUMIDITY(%) *40*

WIND DIRECTION *S.W.* ALTITUDE(ft.) *1650*

WIND VELOCITY(mi/hr) *1-3* ROAD TEMP. ______ °C

AIR TEMP(30 in) *23.2* °C AIR TEMP(1 cm) *30.8* °C

SOIL SURFACE TEMP ______ °C CLOACAL TEMP *34.2* °C

ROCK SURFACE TEMP *37.0* °C SUBSTRATE TEMP ______ °C

HABITAT *rock outcrop in* ~~*coastal sage scrub*~~ *Chaparral*

CHASE *20* FEET

REMARKS: *in sun on top of rock*

SPECIES *Sceloporus orcutti* TAG. NO. 94

CONTAINER NO. R2 SEX ♂ AGE ad. TOE CLIP # 4

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 99

DATE Mar. 14, 1960 SPEEDOMETER 20827

LOCALITY 4 mi. S.E. of Nuevo

COUNTY Riverside CALIF.

STANDARD TIME 1210 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 40

WIND DIRECTION S.W. ALTITUDE(ft.) 1650

WIND VELOCITY(mi/hr) 1-3 ROAD TEMP. ______ °C

AIR TEMP(30 in) 22.5 °C AIR TEMP(1 cm) 26.4 °C

SOIL SURFACE TEMP ______ °C CLOACAL TEMP 35.6 °C

ROCK SURFACE TEMP 39.8 °C SUBSTRATE TEMP ______ °C

HABITAT rock outcrop in coastal sage scrub

CHASE 3 FEET

REMARKS: in sun on top of rock

SPECIES Sceloporus orcutti TAG. NO. 95

CONTAINER NO. B36 SEX ♀ AGE imm. TOE CLIP # 5

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 72

DATE Mar. 14, 1960 SPEEDOMETER 20828

LOCALITY 4 mi. S.E. of Nuevo

COUNTY Riverside CALIF.

STANDARD TIME 1225 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 40

WIND DIRECTION S. W. ALTITUDE(ft.) 1650

WIND VELOCITY(mi/hr) 1-3 ROAD TEMP. — °C

AIR TEMP(30 in) 22.5 °C AIR TEMP(1 cm) 26.4 °C

SOIL SURFACE TEMP ______ °C CLOACAL TEMP 32.2 °C

ROCK SURFACE TEMP 39.8 °C SUBSTRATE TEMP ______ °C

HABITAT rock outcrop in coastal sage scrub

CHASE 6 FEET

REMARKS: in sun on top of rock

SPECIES *Sceloporus orcutti* TAG. NO. 96

CONTAINER NO. R19 SEX ♀ AGE ad. TOE CLIP # 6

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 96

DATE Mar. 14, 1960 SPEEDOMETER 20834

LOCALITY 10 mi. S.E. of Nuevo (4 mi. N. of Homeland)

COUNTY Riverside CALIF.

STANDARD TIME 1355 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 35

WIND DIRECTION 0 ALTITUDE(ft.) 2050

WIND VELOCITY(mi/hr) 0 ROAD TEMP. ______ °C

AIR TEMP(30 in) 23.4 °C AIR TEMP(1 cm) 26.5 °C

SOIL SURFACE TEMP ______ °C CLOACAL TEMP 31.0 °C

ROCK SURFACE TEMP 37.6 °C SUBSTRATE TEMP ______ °C

HABITAT chaparral (rock outcrop)

CHASE 30 FEET

REMARKS: in sun ontop of rock

SPECIES SCELOPORUS ORCUTTI TAG. NO. 97

CONTAINER NO. R19 SEX ♂ AGE Ad TOE CLIP# 1

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 100

DATE APR 3 1960 SPEEDOMETER ______

LOCALITY 3 mi N. W. Sunnymead

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1355 CLOUDS(% overcast) 5 (light)

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION — ALTITUDE(ft.) 2000

WIND VELOCITY(mi/hr) 0 ROAD TEMP. ______ °C

AIR TEMP(30 in) 28 °C AIR TEMP(1 cm) — °C

SOIL SURFACE TEMP — °C CLOACAL TEMP 33.6 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT Chaparral

CHASE 20 FEET

REMARKS: In sun on rock

SPECIES SCELOPORUS ORCUTTI TAG. NO. 98

CONTAINER NO. R19 SEX ♂ AGE Ad(?) TOE CLIP# 2

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 82

DATE APR 3 1960 SPEEDOMETER ______

LOCALITY 4 mi N. W. Sunnymead

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1445 CLOUDS(% overcast) ______

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION — ALTITUDE(ft.) 2850

WIND VELOCITY(mi/hr) 0 ROAD TEMP. ______ °C

AIR TEMP(30 in) 28.6 °C AIR TEMP(1 cm) — °C

SOIL SURFACE TEMP — °C CLOACAL TEMP ~~1445~~ °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT ~~Coastal Sage~~ Chaparral

CHASE 20 FEET

REMARKS: In sun on concrete block fence.

SPECIES SCELOPORUS ORCUTTI TAG. NO. 99

CONTAINER NO. R19 SEX ♀ AGE Ad? TOE CLIP# 3

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 79

DATE APR 3 1960 SPEEDOMETER ______

LOCALITY 4 mi N.W. Sunnymead

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1450 CLOUDS(% overcast) 5 (light)

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION — ALTITUDE(ft.) 2850

WIND VELOCITY(mi/hr) 0 ROAD TEMP. ______ °C

AIR TEMP(30 in) 28.6 °C AIR TEMP(1 cm) — °C

SOIL SURFACE TEMP — °C CLOACAL TEMP 34.2 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT Chaparral

CHASE 15 FEET

REMARKS: In sun on rock

SPECIES SCELOPORUS ORCUTTI TAG. NO. 100

CONTAINER NO. R19 SEX ♂ AGE Ad TOE CLIP# 4

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 105

DATE APR 3 1960 SPEEDOMETER ______

LOCALITY 3 mi N.W. Sunnymead

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1505 CLOUDS(% overcast) 5 (light)

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION — ALTITUDE(ft.) 2700

WIND VELOCITY(mi/hr) 0 ROAD TEMP. — °C

AIR TEMP(30 in) 28.6 °C AIR TEMP(1 cm) — °C

SOIL SURFACE TEMP — °C CLOACAL TEMP 35.7 °C

ROCK SURFACE TEMP — °C SUBSTRATE TEMP — °C

HABITAT Chaparral

CHASE 5 FEET

REMARKS: In sun on rock

SPECIES *Sceloporus orcutti* TAG. NO. 101

CONTAINER NO. Y13 SEX ♀ AGE ad ? TOE CLIP# ______

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 84

DATE May 24, 1960 SPEEDOMETER —

LOCALITY UCR

COUNTY Riverside CALIF.

STANDARD TIME 1030 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) –

WIND DIRECTION 0 ALTITUDE(ft.) 1200

WIND VELOCITY(mi/hr) 0 ROAD TEMP. ______ °C

AIR TEMP(30 in) ______ °C AIR TEMP(1 cm) ______ °C

SOIL SURFACE TEMP ______ °C CLOACAL TEMP ______ °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT coastal sage scrub – rock outcrop

CHASE ______ FEET

REMARKS:

SPECIES Sceloporus orcutti TAG. NO. 102

CONTAINER NO. Y13 SEX ♀ AGE ad. TOE CLIP# 201

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 93

DATE May 24, 1960 SPEEDOMETER —

LOCALITY UCR

COUNTY Riverside CALIF.

STANDARD TIME 0900 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 1200

WIND VELOCITY(mi/hr) 0 ROAD TEMP. ______ °C

AIR TEMP(30 in) ______ °C AIR TEMP(1 cm) ______ °C

SOIL SURFACE TEMP ______ °C CLOACAL TEMP ______ °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT coastal sage scrub - rock outcrop

CHASE 20 FEET

REMARKS: caught on #15 rock. Originally captured 2 mi. S. of UCR, 9/4/58. Release point unknown.

Left oviduct - 5 eggs:	Right oviduct - 5 eggs:
15.6 x 9.8 mm.	14.9 x 9.5 mm.
14.6 x 9.3 "	15.0 x 9.8 "
14.7 x 10.0 "	15.9 x 9.3 "
14.6 x 9.6 "	16.1 x 9.4 "
15.0 x 11.0 "	15.0 x 10.4 "

SPECIES *Sceloporus orcutti* TAG. NO. 10.3

CONTAINER NO. Y13 SEX ♀ AGE ad. TOE CLIP# ____

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 97

DATE May 24, 1960 SPEEDOMETER —

LOCALITY UCR

COUNTY Riverside CALIF.

STANDARD TIME 1000 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 1200

WIND VELOCITY(mi/hr) 0 ROAD TEMP. ____ °C

AIR TEMP(30 in) 17.5 °C AIR TEMP(1 cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP 36.6 °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT coastal sage scrub - rock outcrop

CHASE ____ FEET

REMARKS:

SPECIES Sceloporus orcutti TAG. NO. 104

CONTAINER NO. R6 SEX ♂ AGE ad. TOE CLIP # ______

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 107

DATE Jan. 17, 1961 SPEEDOMETER ______

LOCALITY UCR campus

COUNTY Riverside CALIF.

STANDARD TIME 1320 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) ______

WIND DIRECTION 0 ALTITUDE(ft.) 1200

WIND VELOCITY(mi/hr) 0 ROAD TEMP. ______ °C

AIR TEMP(30 in) 28.2 °C AIR TEMP(1 cm) 32.6 °C

SOIL SURFACE TEMP ______ °C CLOACAL TEMP 31.8 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP (site of capt.) 32.6 °C

HABITAT rock outcrop in coastal sage scrub

CHASE 1 FEET

REMARKS: in shade on ledge of rock

♀ caught in same ledge — thought to be

a pair.

SPECIES Sceloporus orcutti TAG. NO. 105

CONTAINER NO. R6 SEX ♀ AGE ad. TOE CLIP # ______

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 88

DATE Jan. 17, 1961 SPEEDOMETER ______

LOCALITY UCR campus

COUNTY Riverside CALIF.

STANDARD TIME 1330 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) ______

WIND DIRECTION 0 ALTITUDE(ft.) 1200

WIND VELOCITY(mi/hr) 0 ROAD TEMP. ______ °C

AIR TEMP(30 in) 28.2 °C AIR TEMP(1 cm) 32.6 °C

SOIL SURFACE TEMP ______ °C CLOACAL TEMP 32.0 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP (capt. site) 32.6 °C

HABITAT rock outcrop in coastal sage scrub

CHASE 10 FEET

REMARKS: in shade on ledge of rock. ♂ caught in same ledge — thought to be a pair.

SPECIES Sceloporus orcutti TAG. NO. 106

CONTAINER NO. Rb SEX ♀ AGE ad. TOE CLIP # 65

WEIGHT(gms) — SNOUT-VENT LENGTH(mm) 98

DATE 1/18/61 SPEEDOMETER —

LOCALITY UCR CAMPUS

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1115 CLOUDS(% overcast) 25

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION S.E. ALTITUDE(ft.) 1200

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. °C

AIR TEMP(30 in) 26.4 °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 27.8 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT rock outcrop in coastal sage scrub

CHASE 10 FEET

REMARKS: In shade on side of rock.

Was captured as an immature animal Aug. 7, 1958. At that time her S-V length was 75 mm.

SPECIES SCELOPORUS ORCUTTI TAG. NO. 107

CONTAINER NO. R11 SEX ♂ AGE ad? TOE CLIP # ______

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 81

DATE JAN 31 1961 SPEEDOMETER ——

LOCALITY UCR CAMPUS

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1215 CLOUDS(% overcast) 100

MOON —— RELATIVE HUMIDITY(%) ______

WIND DIRECTION S.E. ALTITUDE(ft.) 1200

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. ______ °C

AIR TEMP(30 in) 17.8 °C AIR TEMP(1 cm) 19.0 °C

SOIL SURFACE TEMP ______ °C CLOACAL TEMP 22.6 °C

ROCK SURFACE TEMP 21.8 °C SUBSTRATE TEMP ______ °C

HABITAT rocky outcrop in coastal sage scrub

CHASE 4 FEET

REMARKS: in open on side of boulder. Contained a juvenal *Sceloporus orcutti* (39 mm. S-V length) in its stomach. Animal was dissected 22 hours after capture, but only a little of the head of the juvenal was digested.

SPECIES SCELOPORUS ORCUTTI TAG. NO. 108

CONTAINER NO. R3 SEX ♂ AGE ad. TOE CLIP # 63

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 104

DATE JAN 31 1961 SPEEDOMETER ______

LOCALITY UCR CAMPUS

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1545 CLOUDS(% overcast) 70

MOON — RELATIVE HUMIDITY(%) ______

WIND DIRECTION S.E. ALTITUDE(ft.) 1200

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. ______ °C

AIR TEMP(30 in) 18.0 °C AIR TEMP(1 cm) 19.8 °C

SOIL SURFACE TEMP ______ °C CLOACAL TEMP 26.4 °C

ROCK SURFACE TEMP 29.0 °C SUBSTRATE TEMP ______ °C

HABITAT rocky outcrop in coastal sage scrub

CHASE 0 FEET

REMARKS: in sun on a rock. This animal was originally captured Aug. 6, 1958 about 25 yards S.E. of present capture site. It was an adult when first caught (92 mm. S-V length) In breeding colors.

SPECIES SCELOPORUS ORCUTTI TAG. NO. 109

CONTAINER NO. R4 SEX ♂ AGE ad. TOE CLIP # ______

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 114

DATE JAN 31 1961 SPEEDOMETER ______

LOCALITY UCR CAMPUS.

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1520 CLOUDS(% overcast) 70

MOON — RELATIVE HUMIDITY(%) ______

WIND DIRECTION S.E. ALTITUDE(ft.) 1200

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. ______ °C

AIR TEMP(30 in) 18.0 °C AIR TEMP(1 cm) 19.8 °C

SOIL SURFACE TEMP ______ °C CLOACAL TEMP 28.0 °C

ROCK SURFACE TEMP 29.0 °C SUBSTRATE TEMP ______ °C

HABITAT rock outcrop in coastal sage scrub

CHASE 30 FEET

REMARKS: in sun on a rock. In breeding colors.

SPECIES Sceloporus orcutti TAG. NO. 110

CONTAINER NO. — SEX ♂ AGE ad. TOE CLIP# ____

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 102

DATE Feb. 5, 1961 SPEEDOMETER ____

LOCALITY UCR campus

COUNTY Riverside CALIF.

STANDARD TIME 1600 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) ____

WIND DIRECTION 0 ALTITUDE(ft.) 1200

WIND VELOCITY(mi/hr) 0 ROAD TEMP. ____ °C

AIR TEMP(30 in) ____ °C AIR TEMP(1 cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT rocky outcrop in coastal sage scrub

CHASE ____ FEET

REMARKS: in sun on rock. Crushed by David Young, so he gave us the body.

SPECIES *Sceloporus orcutti* TAG. NO. 111

CONTAINER NO. R45 SEX ♂ AGE ad.(?) TOE CLIP# ______

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 87

DATE Feb. 7, 1961 SPEEDOMETER —

LOCALITY UCR campus

COUNTY Riverside CALIF.

STANDARD TIME 1420 CLOUDS(% overcast) 20

MOON — RELATIVE HUMIDITY(%) ______

WIND DIRECTION S.W. ALTITUDE(ft.) 1200

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. ______ °C

AIR TEMP(30 in) 22.4 °C AIR TEMP(1 cm) 24.0 °C

SOIL SURFACE TEMP ______ °C CLOACAL TEMP 31.8 °C

ROCK SURFACE TEMP 26.2 °C SUBSTRATE TEMP ______ °C

HABITAT rock outcrop in coastal sage scrub

CHASE 0 FEET

REMARKS: in sun on rock. Belly dark blue.

SPECIES *Sceloporus orcutti* TAG. NO. 112

CONTAINER NO. R21 SEX ♂ AGE ad. TOE CLIP # 29

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 110

DATE Feb. 7, 1961 SPEEDOMETER —

LOCALITY UCR campus

COUNTY Riverside CALIF.

STANDARD TIME 1520 CLOUDS(% overcast) 20

MOON — RELATIVE HUMIDITY(%) ______

WIND DIRECTION S.W. ALTITUDE(ft.) 1200

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. ______ °C

AIR TEMP(30 in) 20.0 °C AIR TEMP(1 cm) 23.2 °C

SOIL SURFACE TEMP ______ °C CLOACAL TEMP 24.8 °C

ROCK SURFACE TEMP 29.0 °C SUBSTRATE TEMP ______ °C

HABITAT rock outcrop in coastal sage scrub

CHASE 2 FEET

REMARKS: in sun on rock. He was marked 7/16/58 about 100 yds. due north of capture site. There are 5 piles of rock between the two sites. He measured 88 mm. S-V length in July, 1958. Belly dark blue.

SPECIES Sceloporus orcutti TAG NO. 113

CONTAINER NO. Y13 SEX ♂ AGE ad TOE CLIP# 3

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 105

DATE Feb. 21, 1961 SPEEDOMETER ______

LOCALITY UCR campus

COUNTY Riverside CALIFORNIA

STANDARD TIME 0940 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) ______

WIND DIRECTION N ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. ______ °C

AIR TEMP(30 in) 24.4 °C AIR TEMP(1 cm) 29.2 °C

SOIL SURFACE TEMP ______ °C CLOACAL TEMP 33.6 °C

ROCK SURFACE TEMP 30.2 °C SUBSTRATE TEMP ______ °C

HABITAT rock outcrop in coastal sage scrub

CHASE 20 FEET

REMARKS: in sun on top of rock

In full breeding color. Originally marked 7/3/58 on rock about 100 yards S.E. of capture site.

SPECIES *Sceloporus orcutti* TAG NO. 114

CONTAINER NO. R18 SEX ♂ AGE ad. TOE CLIP# ____

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 98

DATE Feb. 25, 1961 SPEEDOMETER ____

LOCALITY UCR campus

COUNTY Riverside CALIFORNIA

STANDARD TIME ____ CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) ____

WIND DIRECTION 0 ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0 ROAD TEMP. ____ °C

AIR TEMP(30 in) ____ °C AIR TEMP(1 cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT rock outcrop in coastal sage scrub

CHASE ____ FEET

REMARKS: caught by field zoology class

SPECIES Sceloporus orcutti TAG NO. 115

CONTAINER NO. R18 SEX ♂ AGE ad. TOE CLIP# ________

WEIGHT(gms) ________ SNOUT-VENT LENGTH(mm) 97

DATE Feb. 25, 1961 SPEEDOMETER ________

LOCALITY UCR campus

COUNTY Riverside CALIFORNIA

STANDARD TIME ________ CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) ________

WIND DIRECTION 0 ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0 ROAD TEMP. ________ °C

AIR TEMP(30 in) ________ °C AIR TEMP(1 cm) ________ °C

SOIL SURFACE TEMP ________ °C CLOACAL TEMP ________ °C

ROCK SURFACE TEMP ________ °C SUBSTRATE TEMP ________ °C

HABITAT rock outcrop in coastal sage scrub

CHASE ________ FEET

REMARKS: caught by field zoology class.

SPECIES *Sceloporus orcutti* TAG NO. 116

CONTAINER NO. R11 SEX ♀ AGE ad. TOE CLIP# ______

WEIGHT(gms) 27.3 SNOUT-VENT LENGTH(mm) 93

DATE Feb. 27, 1961 SPEEDOMETER ______

LOCALITY UCR campus,

COUNTY Riverside CALIFORNIA

STANDARD TIME 1515 CLOUDS(% overcast) 25 (thin)

MOON — RELATIVE HUMIDITY(%) ______

WIND DIRECTION NW ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. ______ °C

AIR TEMP(30 in) 19.0 °C AIR TEMP(1 cm) 22.6 °C

SOIL SURFACE TEMP ______ °C CLOACAL TEMP ______ °C

ROCK SURFACE TEMP 27.4 °C SUBSTRATE TEMP ______ °C

HABITAT rock in coastal sage scrub

CHASE 10 FEET

REMARKS: in sun on a rock

SPECIES *Sceloporus orcutti* TAG NO. 117

CONTAINER NO. R18 SEX ♂ AGE ad. TOE CLIP# ___

WEIGHT(gms) 43.0 SNOUT-VENT LENGTH(mm) 106

DATE Feb. 27, 1961 SPEEDOMETER ___

LOCALITY UCR campus

COUNTY Riverside CALIFORNIA

STANDARD TIME 1527 CLOUDS(% overcast) 25 (thin)

MOON — RELATIVE HUMIDITY(%) ___

WIND DIRECTION NW ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. ___ °C

AIR TEMP(30 in) 19.0 °C AIR TEMP(1 cm) 22.6 °C

SOIL SURFACE TEMP ___ °C CLOACAL TEMP 32.8 °C

ROCK SURFACE TEMP 27.4 °C SUBSTRATE TEMP ___ °C

HABITAT rock in coastal sage scrub

CHASE 20 FEET

REMARKS: in shade in crack of a boulder

Had recently eaten a 45mm. long grasshopper, a lady bird beetle, and 2 caterpillars.

SPECIES *Sceloporus orcutti* TAG NO. 118

CONTAINER NO. — SEX ♂ AGE ad. TOE CLIP# ____

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 96

DATE March 7, 1961 SPEEDOMETER ____

LOCALITY 3 mi. N. W. of Sunnymead

COUNTY Riverside CALIFORNIA

STANDARD TIME ____ CLOUDS(% overcast) 0

MOON ____ RELATIVE HUMIDITY(%) ____

WIND DIRECTION ____ ALTITUDE(ft) 2000

WIND VELOCITY(mi/hr) ____ ROAD TEMP. ____ °C

AIR TEMP(30 in) ____ °C AIR TEMP(1 cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT coastal sage scrub

CHASE ____ FEET

REMARKS: caught by Dave Young

Had eaten at least 8 lady bird beetles and 1 grasshopper.

SPECIES *Sceloporus orcutti* TAG NO. 119

CONTAINER NO. — SEX ♂ AGE ad. TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 100

DATE Mar. 13, 1961 SPEEDOMETER

LOCALITY 2 mi. N.W. of Sunnymead

COUNTY Riverside CALIFORNIA

STANDARD TIME 1650 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION NW ALTITUDE(ft) 2000

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. °C

AIR TEMP(30 in) 23.6 °C AIR TEMP(1 cm) 23.0 °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP 29.0 °C SUBSTRATE TEMP °C

HABITAT chaparral

CHASE 2 FEET

REMARKS: chased for about 1 hour. It was finally killed in trying to extricate from the rocks.

SPECIES SCELOPORUS ORCUTTI TAG NO. 120

CONTAINER NO. R19 SEX ♀ AGE ad. TOE CLIP# ______

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 86

DATE MAR 11 1961 SPEEDOMETER ______

LOCALITY 2 mi. N.W. of Sunnymead

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1240 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) ______

WIND DIRECTION 0 ALTITUDE(ft) ~~2000~~

WIND VELOCITY(mi/hr) 0 ROAD TEMP. ______ °C

AIR TEMP(30 in) 22.0 °C AIR TEMP(1 cm) 25.0 °C

SOIL SURFACE TEMP 32.0 °C CLOACAL TEMP 32.0 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT chaparral

CHASE 20 FEET

REMARKS:

SPECIES SCELOPORUS ORCUTTI TAG NO. 121

CONTAINER NO. R25 SEX ♂ AGE ad? TOE CLIP# ______

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 76

DATE MAR 11 1961 SPEEDOMETER ______

LOCALITY 2 mi. N. W. of Sunnymead

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1205 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) ______

WIND DIRECTION 0 ALTITUDE(ft) 2000

WIND VELOCITY(mi/hr) 0 ROAD TEMP. ______ °C

AIR TEMP(30 in) 22.0 °C AIR TEMP(1 cm) 25.0 °C

SOIL SURFACE TEMP 32.0 °C CLOACAL TEMP 33.0 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT chaparral

CHASE 10 FEET

REMARKS: ______

SPECIES SCELOPORUS ORCUTTI TAG NO. 122

CONTAINER NO. R19 SEX ♂ AGE ad. TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 100

DATE MAR 11 1961 SPEEDOMETER

LOCALITY 2 mi. N.W. of Sunnymead

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1250 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 2000

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) 22.0 °C AIR TEMP(1 cm) 25.0 °C

SOIL SURFACE TEMP 32.0 °C CLOACAL TEMP 30.8 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT chaparral

CHASE 10 FEET

REMARKS:

SPECIES SCELOPORUS ORCUTTI TAG NO. 123

CONTAINER NO. R17 SEX ♀ AGE ad TOE CLIP# 1

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 85

DATE MAR 13 1961 SPEEDOMETER ______

LOCALITY 2 mi. N.W. of Sunnymead

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1435 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) ______

WIND DIRECTION NW ALTITUDE(ft) 2000

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. ______ °C

AIR TEMP(30 in) 27.5 °C AIR TEMP(1 cm) 28.4 °C

SOIL SURFACE TEMP ______ °C CLOACAL TEMP 35.0 °C

ROCK SURFACE TEMP 37.4 °C SUBSTRATE TEMP ______ °C

HABITAT chaparral

CHASE 2 FEET

REMARKS: in sun on a rock

SPECIES SCELOPORUS ORCUTTI TAG NO. 124

CONTAINER NO. R17 SEX ♂ AGE ad TOE CLIP# 200

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 103

DATE MAR 13 1961 SPEEDOMETER ______

LOCALITY 2 mi. N.W. of Sunnymead

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1445 CLOUDS(% overcast) 0

MOON ~ RELATIVE HUMIDITY(%) ______

WIND DIRECTION NW ALTITUDE(ft) 2000

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. ______ °C

AIR TEMP(30 in) 27.5 °C AIR TEMP(1 cm) 28.4 °C

SOIL SURFACE TEMP ______ °C CLOACAL TEMP 35.4 °C

ROCK SURFACE TEMP 37.4 °C SUBSTRATE TEMP ______ °C

HABITAT chaparral

CHASE 20 FEET

REMARKS: in sun on a rock

SPECIES SCELOPOROUS ORCUTTI TAG NO. 125

CONTAINER NO. R17 SEX ♂ AGE ad. TOE CLIP# 3

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 99

DATE MAR 13 1961 SPEEDOMETER ____

LOCALITY 2 mi. N.W. of Sunnymead

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1505 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) ____

WIND DIRECTION NW ALTITUDE(ft) 2000

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. ____ °C

AIR TEMP(30 in) 27.5 °C AIR TEMP(1 cm) 28.4 °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP 35.0 °C

ROCK SURFACE TEMP 37.4 °C SUBSTRATE TEMP ____ °C

HABITAT chaparral

CHASE 2' FEET

REMARKS: in sun on rock

Stomach full of wasp-like Hymenoptera.

SPECIES *Sceloporus orcutti* TAG NO. 126

CONTAINER NO. R38 SEX ♀ AGE ad? TOE CLIP# ______

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 68

DATE MAR 13 1961 SPEEDOMETER ______

LOCALITY 2 mi. N. W. of Sunnymead

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1510 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) ______

WIND DIRECTION NW ALTITUDE(ft) 2000

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. ______ °C

AIR TEMP(30 in) 27.5 °C AIR TEMP(1 cm) 28.4 °C

SOIL SURFACE TEMP ______ °C CLOACAL TEMP 31.5 °C

ROCK SURFACE TEMP 37.4 °C SUBSTRATE TEMP ______ °C

HABITAT chaparral

CHASE 1 FEET

REMARKS: in broken shade on a rock

SPECIES SCELOPORUS ORCUTTI TAG NO. 127

CONTAINER NO. R5 SEX ♂ AGE ad TOE CLIP# 4

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 98

DATE MAR 13 1961 SPEEDOMETER ______

LOCALITY 2 mi. N.W. of Sunnymead

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1540 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) ______

WIND DIRECTION NW ALTITUDE(ft) 2000

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. ______ °C

AIR TEMP(30 in) 23.0 °C AIR TEMP(1 cm) 23.6 °C

SOIL SURFACE TEMP ______ °C CLOACAL TEMP ______ °C

ROCK SURFACE TEMP 29.0 °C SUBSTRATE TEMP ______ °C

HABITAT chaparral

CHASE 3 FEET

REMARKS: in sun on a rock

Stomach full of wasp-like Hymenoptera plus one caterpillar.

SPECIES SCELOPOROUS ORCUTTI TAG NO. 128

CONTAINER NO. R5 SEX ♂ AGE ad. TOE CLIP# 5

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 90

DATE MAR 13 1961 SPEEDOMETER ______

LOCALITY 2 mi. N.W. of Sunnymead

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1550 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) ______

WIND DIRECTION NW ALTITUDE(ft) 2000

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. ______ °C

AIR TEMP(30 in) 23.0 °C AIR TEMP(1 cm) 23.6 °C

SOIL SURFACE TEMP ______ °C CLOACAL TEMP 32.6 °C

ROCK SURFACE TEMP 29.0 °C SUBSTRATE TEMP ______ °C

HABITAT chaparral

CHASE 3 FEET

REMARKS: in sun on a rock

SPECIES SCELOPORUS ORCUTTI TAG NO. 129

CONTAINER NO. R5 SEX ♀ AGE ad TOE CLIP# ______

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 95

DATE MAR 20 1961 SPEEDOMETER ______

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1355 CLOUDS(% overcast) 50 (thin)

MOON — RELATIVE HUMIDITY(%) ______

WIND DIRECTION NE ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. ______ °C

AIR TEMP(30 in) 23.8 °C AIR TEMP(1 cm) 27.0 °C

SOIL SURFACE TEMP ______ °C CLOACAL TEMP 29.2 °C

ROCK SURFACE TEMP 42.8 °C SUBSTRATE TEMP ______ °C

HABITAT coastal sage scrub

CHASE 50 FEET

REMARKS: in sun on a rock

SPECIES SCELOPORUS ORCUTTI TAG NO. 130

CONTAINER NO. R3 SEX ♀ AGE ad. TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 100

DATE MAR 21 1961 SPEEDOMETER

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1150 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 1100

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) 20.0 °C AIR TEMP(1 cm) 22.2 °C

SOIL SURFACE TEMP °C CLOACAL TEMP 33.6 °C

ROCK SURFACE TEMP 34.0 °C SUBSTRATE TEMP °C

HABITAT coastal sage scrub

CHASE 20 FEET

REMARKS: in sun on rock

SPECIES SCELOPORUS ORCUTTI TAG NO. 131

CONTAINER NO. R3 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 101

DATE MAR 21 1961 SPEEDOMETER

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1205 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 1100

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) 20.0 °C AIR TEMP(1 cm) 22.2 °C

SOIL SURFACE TEMP °C CLOACAL TEMP 32.0 °C

ROCK SURFACE TEMP 34.0 °C SUBSTRATE TEMP °C

HABITAT coastal sage scrub

CHASE 3 FEET

REMARKS: in sun on rock

Sceloporus occidentalis caught on same rock about 6 feet away.

SPECIES SCELOPORUS ORCUTTI TAG NO. 132

CONTAINER NO. R3 SEX ♂ AGE ad TOE CLIP# 1

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 102

DATE MAR 21 1961 SPEEDOMETER ______

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1255 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) ______

WIND DIRECTION 0 ALTITUDE(ft) 1100

WIND VELOCITY(mi/hr) 0 ROAD TEMP. ______ °C

AIR TEMP(30 in) 20.0 °C AIR TEMP(1 cm) 22.2 °C

SOIL SURFACE TEMP ______ °C CLOACAL TEMP 31.0 °C

ROCK SURFACE TEMP 34.0 °C SUBSTRATE TEMP ______ °C

HABITAT coastal sage scrub

CHASE 12 FEET

REMARKS: in broken shade on rock.

SPECIES SCELOPORUS ORCUTTI TAG NO. 133

CONTAINER NO. R3 SEX ♀ AGE ad. TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 98

DATE MAR 23 1961 SPEEDOMETER

LOCALITY 2 mi. S. of UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1040 CLOUDS(% overcast) ~~100~~ 95

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) 14.4 °C AIR TEMP(1 cm) 20.0 °C

SOIL SURFACE TEMP 33.0 °C CLOACAL TEMP 26.5 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT coastal sage scrub

CHASE 15 FEET

REMARKS: in sun on a rock

SPECIES SCELOPORUS ORCUTTI TAG. NO. 134

CONTAINER NO. B17 SEX ♀ AGE ad TOE CLIP# ______

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 80

DATE MAR 29 1961 SPEEDOMETER ______

LOCALITY 2 mi. S. of UCR

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1310 CLOUDS(% overcast) 10

MOON — RELATIVE HUMIDITY(%) ______

WIND DIRECTION S.E. ALTITUDE(ft.) ~~1200~~

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. ______ °C

AIR TEMP(30 in) 20.8 °C AIR TEMP(1 cm) 25.0 °C

SOIL SURFACE TEMP ? °C CLOACAL TEMP ______ °C

ROCK SURFACE TEMP 34.4 °C SUBSTRATE TEMP ______ °C

HABITAT coastal sage scrub

CHASE 0 FEET

REMARKS: in sun on rock

SPECIES SCELOPORUS ORCUTTI TAG. NO. 135

CONTAINER NO. R2 SEX ♂ AGE ad TOE CLIP# ____

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 102

DATE MAR 29 1961 SPEEDOMETER ____

LOCALITY 2 mi. S. of UCR

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1320 CLOUDS(% overcast) 10

MOON — RELATIVE HUMIDITY(%) ____

WIND DIRECTION S.E. ALTITUDE(ft.) 1200

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. ____ °C

AIR TEMP(30 in) 20.8 °C AIR TEMP(1 cm) 25.0 °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP 32.6 °C

ROCK SURFACE TEMP 34.4 °C SUBSTRATE TEMP ____ °C

HABITAT coastal sage scrub

CHASE 6 FEET

REMARKS: in sun on rock

SPECIES SCELOPORUS ORCUTTI TAG. NO. 136

CONTAINER NO. R40 SEX ♂ AGE ad TOE CLIP# ____

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 115

DATE April 11, 1961 SPEEDOMETER ____

LOCALITY Mt. Rubidoux

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1505 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) ____

WIND DIRECTION NW ALTITUDE(ft.) 1900

WIND VELOCITY(mi/hr) 8-10 ROAD TEMP. ____ °C

AIR TEMP(30 in) 26.6 °C AIR TEMP(1 cm) 30.0 °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP 34.0 °C SUBSTRATE TEMP ____ °C

HABITAT coastal sage scrub

CHASE 3 FEET

REMARKS: in sun on rock

25 Bees in its stomach — a wild hive was about 30 feet west of the rock on which it was sunning.

SPECIES SCELOPORUS ORCUTTI TAG. NO. 137

CONTAINER NO. Y5 SEX ♂ AGE ad TOE CLIP # 1

WEIGHT(gms) ________ SNOUT-VENT LENGTH (mm) 103

DATE APR 11 1961 SPEEDOMETER ________

LOCALITY Mt. Rubidoux

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0940 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) ________

WIND DIRECTION 0 ALTITUDE(ft.) 1900

WIND VELOCITY(mi/hr) 0 ROAD TEMP. ________ °C

AIR TEMP(30 in) 17.4 °C AIR TEMP(1 cm) 20.0 °C

SOIL SURFACE TEMP ________ °C CLOACAL TEMP 32.2 °C

ROCK SURFACE TEMP 32.0 °C SUBSTRATE TEMP ________ °C

HABITAT coastal sage scrub

CHASE 0 FEET

REMARKS: in sun on rock

SPECIES SCELOPORUS ORCUTTI TAG. NO. 138

CONTAINER NO. R12 SEX ♂ AGE ad? TOE CLIP # 1

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 77

DATE APR 11 1961 SPEEDOMETER ______

LOCALITY Mt. Rubidoux

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1000 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) ______

WIND DIRECTION 0 ALTITUDE(ft.) 1900

WIND VELOCITY(mi/hr) 0 ROAD TEMP. ______ °C

AIR TEMP(30 in) 17.4 °C AIR TEMP(1 cm) 20.0 °C

SOIL SURFACE TEMP ______ °C CLOACAL TEMP 27.2 °C

ROCK SURFACE TEMP 32.0 °C SUBSTRATE TEMP ______ °C

HABITAT coastal sage scrub

CHASE 50 FEET

REMARKS: in sun on rock

SPECIES	SCELOPORUS ORCUTTI
TAG. NO.	139
CONTAINER NO.	R12
SEX	♂
AGE	ad?
TOE CLIP #	2
WEIGHT(gms)	
SNOUT VENT LENGTH(mm)	78
DATE	APR 11 1961
SPEEDOMETER	
LOCALITY	Mt. Rubidoux
COUNTY	RIVERSIDE CALIF.
STANDARD TIME	1035
CLOUDS(% overcast)	0
MOON	—
RELATIVE HUMIDITY(%)	
WIND DIRECTION	NW
ALTITUDE(ft.)	1900
WIND VELOCITY(mi/hr)	3-5
ROAD TEMP. °C	
AIR TEMP(30 in) °C	22.8
AIR TEMP(1 cm) °C	25.8
SOIL SURFACE TEMP °C	
CLOACAL TEMP °C	24.8
ROCK SURFACE TEMP °C	40.0
SUBSTRATE TEMP °C	
HABITAT	coastal sage scrub
CHASE	20 FEET
REMARKS:	in shade on rock

SPECIES SCELOPORUS ORCUTTI TAG. NO. 140

CONTAINER NO. Y5 SEX ♂ AGE ad TOE CLIP # ____

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 90

DATE APR 11 1961 SPEEDOMETER ____

LOCALITY Mt. Rubidoux

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1040 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) ____

WIND DIRECTION NW ALTITUDE(ft.) 1900

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. ____ °C

AIR TEMP(30 in) 22.8 °C AIR TEMP(1 cm) 25.8 °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP 33.2 °C

ROCK SURFACE TEMP 40.0 °C SUBSTRATE TEMP ____ °C

HABITAT coastal sage scrub

CHASE 10 FEET

REMARKS: in sun on rock

No breeding colors.

SPECIES SCELOPORUS ORCUTTI TAG. NO. 141

CONTAINER NO. Y1 SEX ♂ AGE ad TOE CLIP# ______

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 89

DATE APR 11 1961 SPEEDOMETER ______

LOCALITY Mt. Rubidoux

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1050 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) ______

WIND DIRECTION NW ALTITUDE(ft.) 1900

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. ______ °C

AIR TEMP(30 in) 22.8 °C AIR TEMP(1 cm) 25.8 °C

SOIL SURFACE TEMP ______ °C CLOACAL TEMP 34.4 °C

ROCK SURFACE TEMP 40.0 °C SUBSTRATE TEMP ______ °C

HABITAT coastal sage scrub

CHASE 25 FEET

REMARKS: in sun on rock

SPECIES SCELOPOROUS ORCUTTI TAG NO. 142

CONTAINER NO. Y8 SEX ♂ AGE ad? TOE CLIP# ____

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 84

DATE APR 11 1961 SPEEDOMETER ____

LOCALITY Mt. Rubidoux

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1205 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) ____

WIND DIRECTION NW ALTITUDE(ft) 1900

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. ____ °C

AIR TEMP(30 in) 22.8 °C AIR TEMP(1 cm) 25.8 °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP 30.2 °C

ROCK SURFACE TEMP 40.0 °C SUBSTRATE TEMP ____ °C

HABITAT coastal sage scrub

CHASE 10 FEET

REMARKS: in sun on rock

SPECIES SCELOPORUS ORCUTTI TAG NO. 143

CONTAINER NO. R12 SEX ♀ AGE ad TOE CLIP# 2

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 99

DATE APR 11 1961 SPEEDOMETER ______

LOCALITY Mt. Rubidoux

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1220 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) ______

WIND DIRECTION NW ALTITUDE(ft) 1900

WIND VELOCITY(mi/hr) 8-10 ROAD TEMP. ______ °C

AIR TEMP(30 in) 26.6 °C AIR TEMP(1 cm) 30.0 °C

SOIL SURFACE TEMP ______ °C CLOACAL TEMP 35.2 °C

ROCK SURFACE TEMP 44.0 °C SUBSTRATE TEMP ______ °C

HABITAT coastal sage scrub

CHASE 0 FEET

REMARKS: in sun on rock

SPECIES SCELOPORUS ORCUTTI TAG NO. 144

CONTAINER NO. R12 SEX ♂ AGE ad. TOE CLIP# 3

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 113

DATE APR 11 1961 SPEEDOMETER ______

LOCALITY Mt. Rubidoux

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1225 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) ______

WIND DIRECTION NW ALTITUDE(ft) 1900

WIND VELOCITY(mi/hr) 8-10 ROAD TEMP. ______ °C

AIR TEMP(30 in) 26.6 °C AIR TEMP(1 cm) 30.0 °C

SOIL SURFACE TEMP ______ °C CLOACAL TEMP 33.6 °C

ROCK SURFACE TEMP 44.0 °C SUBSTRATE TEMP ______ °C

HABITAT coastal sage scrub

CHASE 4 FEET

REMARKS: in sun on rock

SPECIES SCELOPORUS ORCUTTI TAG NO. 145

CONTAINER NO. Y1 SEX ♀ AGE ad? TOE CLIP# ______

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 75

DATE APR 11 1961 SPEEDOMETER ______

LOCALITY Mt. Rubidoux

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1245 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) ______

WIND DIRECTION NW ALTITUDE(ft) 1900

WIND VELOCITY(mi/hr) 8-10 ROAD TEMP. ______ °C

AIR TEMP(30 in) 26.6 °C AIR TEMP(1 cm) 30.0 °C

SOIL SURFACE TEMP ______ °C CLOACAL TEMP 30.4 °C

ROCK SURFACE TEMP 44.0 °C SUBSTRATE TEMP ______ °C

HABITAT coastal sage scrub

CHASE 50 FEET

REMARKS: in sun on rock

SPECIES SCELOPORUS ORCUTTI TAG NO. 146

CONTAINER NO. R16 SEX ♂ AGE ad. TOE CLIP# 1

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 110

DATE APR 11 1961 SPEEDOMETER ______

LOCALITY Mt. Rubidoux

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1250 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) ______

WIND DIRECTION NW ALTITUDE(ft) 1900

WIND VELOCITY(mi/hr) 8-10 ROAD TEMP. ______ °C

AIR TEMP(30 in) 26.6 °C AIR TEMP(1 cm) 30.0 °C

SOIL SURFACE TEMP ______ °C CLOACAL TEMP 34.0 °C

ROCK SURFACE TEMP 44.0 °C SUBSTRATE TEMP ______ °C

HABITAT coastal sage scrub

CHASE 8 FEET

REMARKS: in sun on sand

SPECIES SCELOPORUS ORCUTTI TAG NO. 147

CONTAINER NO. Y1 SEX ♀ AGE ad TOE CLIP# 5

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 101

DATE APR 11 1961 SPEEDOMETER ______

LOCALITY Mt. Rubidoux

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1305 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) ______

WIND DIRECTION NW ALTITUDE(ft) 1900

WIND VELOCITY(mi/hr) 8-10 ROAD TEMP. ______ °C

AIR TEMP(30 in) 26.6 °C AIR TEMP(1 cm) 30.0 °C

SOIL SURFACE TEMP ______ °C CLOACAL TEMP 32.2 °C

ROCK SURFACE TEMP 44.0 °C SUBSTRATE TEMP ______ °C

HABITAT coastal sage scrub

CHASE 1 FEET

REMARKS: in shadeon rock

SPECIES SCELOPORUS ORCUTTI TAG NO. 148

CONTAINER NO. R42 SEX ♂ AGE ad? TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 77

DATE APR 11 1961 SPEEDOMETER

LOCALITY Mt. Rubidoux

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1355 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION NW ALTITUDE(ft) 1900

WIND VELOCITY(mi/hr) 8-10 ROAD TEMP. °C

AIR TEMP(30 in) 26.6 °C AIR TEMP(1 cm) 30.0 °C

SOIL SURFACE TEMP °C CLOACAL TEMP 33.6 °C

ROCK SURFACE TEMP 44.0 °C SUBSTRATE TEMP °C

HABITAT coastal sage scrub

CHASE 10 FEET

REMARKS: in sun on rock

SPECIES SCELOPOROUS ORCUTTI TAG NO. 149

CONTAINER NO. R49 SEX ♂ AGE ad TOE CLIP# 1

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 114

DATE APR 11 1961 SPEEDOMETER ______

LOCALITY Mt. Rubidoux

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1405 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) ______

WIND DIRECTION NW ALTITUDE(ft) 1900

WIND VELOCITY(mi/hr) 8-10 ROAD TEMP. ______ °C

AIR TEMP(30 in) 26.6 °C AIR TEMP(1 cm) 30.0 °C

SOIL SURFACE TEMP ______ °C CLOACAL TEMP 29.4 °C

ROCK SURFACE TEMP 44.0 °C SUBSTRATE TEMP ______ °C

HABITAT coastal sage scrub

CHASE 20 FEET

REMARKS: in sun on rock

SPECIES SCELOPORUS ORCUTTI TAG NO. 150

CONTAINER NO. R43 SEX ♂ AGE ad TOE CLIP# ______

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 115

DATE APR 11 1961 SPEEDOMETER ______

LOCALITY Mt. Rubidoux

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1420 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) ______

WIND DIRECTION NW ALTITUDE(ft) 1900

WIND VELOCITY(mi/hr) 8-10 ROAD TEMP. ______ °C

AIR TEMP(30 in) 26.6 °C AIR TEMP(1 cm) 30.0 °C

SOIL SURFACE TEMP ______ °C CLOACAL TEMP 33.8 °C

ROCK SURFACE TEMP 44.0 °C SUBSTRATE TEMP ______ °C

HABITAT coastal sage scrub

CHASE 8 FEET

REMARKS: in sun on rock

SPECIES SCELOPORUS ORCUTTI TAG NO. 151

CONTAINER NO. R26 SEX ♂ AGE ad TOE CLIP# ____

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 105

DATE APR 11 19__ SPEEDOMETER ____

LOCALITY Mt. Rubidoux

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1445 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) ____

WIND DIRECTION NW ALTITUDE(ft) 1900

WIND VELOCITY(mi/hr) 8-10 ROAD TEMP. ____ °C

AIR TEMP(30 in) 26.6 °C AIR TEMP(1 cm) 30.0 °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP 30.0 °C

ROCK SURFACE TEMP 44.0 °C SUBSTRATE TEMP ____ °C

HABITAT coastal sage scrub

CHASE 30 FEET

REMARKS: in sun on rock

SPECIES SCELOPORUS ORCUTTI TAG NO. 152

CONTAINER NO. R14 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 93

DATE APR 27 1961 SPEEDOMETER

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1020 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION NE ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. °C

AIR TEMP(30 in) 23.8 °C AIR TEMP(1 cm) 23.8 °C

SOIL SURFACE TEMP °C CLOACAL TEMP 30.8 °C

ROCK SURFACE TEMP 28.0 °C SUBSTRATE TEMP °C

HABITAT coastal sage scrub

CHASE 60 FEET

REMARKS: in sun on rock

SPECIES SCELOPOROUS ORCUTTI TAG NO. 153

CONTAINER NO. R14 SEX ♀ AGE ad? TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 71

DATE APR 27 1961 SPEEDOMETER

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1040 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION NE ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. °C

AIR TEMP(30 in) 23.8 °C AIR TEMP(1 cm) 23.8 °C

SOIL SURFACE TEMP °C CLOACAL TEMP 32.8 °C

ROCK SURFACE TEMP 28.0 °C SUBSTRATE TEMP °C

HABITAT coastal sage scrub

CHASE 0 FEET

REMARKS: in sun on rock

SPECIES SCELOPORUS ORCUTTI TAG NO. 154

CONTAINER NO. R5 SEX ♂ AGE ad TOE CLIP# ______

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 112

DATE APR 27 1961 SPEEDOMETER ______

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1130 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) ______

WIND DIRECTION NE ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. ______ °C

AIR TEMP(30 in) 28.4 °C AIR TEMP(1 cm) 30.0 °C

SOIL SURFACE TEMP ______ °C CLOACAL TEMP 32.5 °C

ROCK SURFACE TEMP 36.5 °C SUBSTRATE TEMP ______ °C

HABITAT coastal sage scrub

CHASE 3 FEET

REMARKS: in sun on rock

SPECIES SCELOPORUS ORCUTTI TAG NO. 155

CONTAINER NO. R17 SEX ♂ AGE ad TOE CLIP# ______

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 97

DATE APR 27 1961 SPEEDOMETER ______

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1140 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) ______

WIND DIRECTION NE ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. ______ °C

AIR TEMP(30 in) 28.4 °C AIR TEMP(1 cm) 30.0 °C

SOIL SURFACE TEMP ______ °C CLOACAL TEMP 35.0 °C

ROCK SURFACE TEMP 36.5 °C SUBSTRATE TEMP ______ °C

HABITAT coastal sage scrub

CHASE 6 FEET

REMARKS: in sun on rock

SPECIES SCELOPORUS ORCUTTI TAG NO. 156

CONTAINER NO. R17 SEX ♀ AGE ad TOE CLIP# ______

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 87

DATE APR 27 1961 SPEEDOMETER ______

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1210 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) ______

WIND DIRECTION NE ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. ______ °C

AIR TEMP(30 in) 28.4 °C AIR TEMP(1 cm) 30.0 °C

SOIL SURFACE TEMP ______ °C CLOACAL TEMP 34.5 °C

ROCK SURFACE TEMP 36.5 °C SUBSTRATE TEMP ______ °C

HABITAT coastal sage scrub

CHASE 10 FEET

REMARKS: in sun on rock

SPECIES SCELOPORUS ORCUTTI TAG NO. 157

CONTAINER NO. R7 SEX ♀ AGE ad TOE CLIP# ____

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 92

DATE APR 27 1961 SPEEDOMETER ____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1215 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) ____

WIND DIRECTION NE ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. ____ °C

AIR TEMP(30 in) 28.4 °C AIR TEMP(1 cm) 30.0 °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP 33.2 °C

ROCK SURFACE TEMP 36.5 °C SUBSTRATE TEMP ____ °C

HABITAT coastal sage scrub

CHASE 20 FEET

REMARKS: in sun on rock

SPECIES SCELOPORUS ORCUTTI TAG NO. 158

CONTAINER NO. R 11 SEX ♂ AGE ad TOE CLIP# ____

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 85

DATE APR 27 1961 SPEEDOMETER ____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1220 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) ____

WIND DIRECTION NE ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. ____ °C

AIR TEMP(30 in) 28.4 °C AIR TEMP(1 cm) 30.0 °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP 36.8 °C

ROCK SURFACE TEMP 36.5 °C SUBSTRATE TEMP ____ °C

HABITAT coastal sage scrub

CHASE 30 FEET

REMARKS: in sun on rock

SPECIES SCELOPORUS ORCUTTI TAG NO. 159

CONTAINER NO. R7 SEX ♂ AGE ad TOE CLIP# ____

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 100

DATE APR 27 1961 SPEEDOMETER ____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1225 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) ____

WIND DIRECTION NE ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. ____ °C

AIR TEMP(30 in) 28.4 °C AIR TEMP(1 cm) 30.0 °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP 35.8 °C

ROCK SURFACE TEMP 36.5 °C SUBSTRATE TEMP ____ °C

HABITAT coastal sage scrub

CHASE 5 FEET

REMARKS: in sun on rock

SPECIES SCELOPORUS ORCUTTI TAG NO. 160

CONTAINER NO. R2 SEX ♂ AGE ad TOE CLIP# ____

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 105

DATE APR 27 1961 SPEEDOMETER ____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1325 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) ____

WIND DIRECTION NE ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. ____ °C

AIR TEMP(30 in) 29.0 °C AIR TEMP(1 cm) 31.8 °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP 40.0 °C SUBSTRATE TEMP ____ °C

HABITAT coastal sage scrub

CHASE 30 FEET

REMARKS: in sun on rock

SPECIES SCELOPORUS ORCUTTI TAG NO. 161

CONTAINER NO. R16 SEX ♀ AGE ad TOE CLIP# ____

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 95

DATE April 29, 1961 SPEEDOMETER ____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1030 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) ____

WIND DIRECTION NE ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. ____ °C

AIR TEMP(30 in) 25.0 °C AIR TEMP(1 cm) 30.0 °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP 35.2 °C

ROCK SURFACE TEMP (sun) 33.0 °C SUBSTRATE TEMP (rock shade) 25.6 °C

HABITAT coastal sage scrub

CHASE 4 FEET

REMARKS: in shade on rock

WT

AI

SPECIES SCELOPORUS ORCUTTI TAG NO. 162

CONTAINER NO. R3 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 96

DATE May 16, 1961 SPEEDOMETER

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1125 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION NW ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. °C

AIR TEMP(30 in) 19.0 °C AIR TEMP(1 cm) 27.0 °C

SOIL SURFACE TEMP °C CLOACAL TEMP 36.0 °C

ROCK SURFACE TEMP 41.0 °C SUBSTRATE TEMP °C

HABITAT coastal sage scrub

CHASE 0 FEET

REMARKS: in sun on rock

SPECIES SCELOPORUS ORCUTTI TAG NO. 163

CONTAINER NO. 06 SEX ♂ AGE ad TOE CLIP# ______

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 100

DATE MAY 21 1961 SPEEDOMETER ______

LOCALITY 1/2 mi. S. of Lake Fulmor

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME ______ CLOUDS(% overcast) 0

MOON ______ RELATIVE HUMIDITY(%) ______

WIND DIRECTION ______ ALTITUDE(ft) 5500

WIND VELOCITY(mi/hr) ______ ROAD TEMP. ______ °C

AIR TEMP(30 in) ______ °C AIR TEMP(1 cm) ______ °C

SOIL SURFACE TEMP ______ °C CLOACAL TEMP ______ °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CHAPARRAL

CHASE ______ FEET

REMARKS: caught by field zool. class

Deep blue on belly

SPECIES SCELOPOROUS ORCUTTI TAG NO. 164

CONTAINER NO. R20 SEX ♀ AGE ad TOE CLIP# ______

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 89

DATE MAY 21 1961 SPEEDOMETER ______

LOCALITY ½ mi. S. of Lake Fulmor

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME ______ CLOUDS(% overcast) o

MOON ______ RELATIVE HUMIDITY(%) ______

WIND DIRECTION ______ ALTITUDE(ft) 5500

WIND VELOCITY(mi/hr) ______ ROAD TEMP. ______ °C

AIR TEMP(30 in) ______ °C AIR TEMP(1 cm) ______ °C

SOIL SURFACE TEMP ______ °C CLOACAL TEMP ______ °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CHAPARRAL

CHASE ______ FEET

REMARKS: caught by field zool. class

SPECIES SCELOPORUS ORCUTTI TAG NO. 165

CONTAINER NO. R41 SEX ♂ AGE ad ? TOE CLIP# ______

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 78

DATE MAY 21 1961 SPEEDOMETER ______

LOCALITY 1/2 mi. S. of Lake Fulmor

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME ______ CLOUDS(% overcast) 0

MOON ______ RELATIVE HUMIDITY(%) ______

WIND DIRECTION ______ ALTITUDE(ft) 5500

WIND VELOCITY(mi/hr) ______ ROAD TEMP. ______ °C

AIR TEMP(30 in) ______ °C AIR TEMP(1 cm) ______ °C

SOIL SURFACE TEMP ______ °C CLOACAL TEMP ______ °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CHAPARRAL

CHASE ______ FEET

REMARKS: caught by field zool. class

SPECIES SCELOPORUS ORCUTTI TAG NO. 166

CONTAINER NO. R41 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 89

DATE MAY 21 1961 SPEEDOMETER

LOCALITY 1/2 mi. S. of Lake Fulmor

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 5500

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CHAPARRAL

CHASE FEET

REMARKS: caught by field zool. class

SPECIES SCELOPORUS ORCUTTI TAG NO. 167

CONTAINER NO. R5 SEX ♂ AGE ad TOE CLIP# ______

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 108

DATE MAY 21 1961 SPEEDOMETER ______

LOCALITY 1/2 mi. S. of Lake Fulmor

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME ______ CLOUDS(% overcast) 0

MOON ______ RELATIVE HUMIDITY(%) ______

WIND DIRECTION ______ ALTITUDE(ft) 5500

WIND VELOCITY(mi/hr) ______ ROAD TEMP. ______ °C

AIR TEMP(30 in) ______ °C AIR TEMP(1 cm) ______ °C

SOIL SURFACE TEMP ______ °C CLOACAL TEMP ______ °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CHAPARRAL

CHASE ______ FEET

REMARKS: caught by field zool. class

Deep blue on belly

SPECIES SCELOPORUS ORCUTTI TAG NO. 168

CONTAINER NO. R5 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 90

DATE MAY 21 1961 SPEEDOMETER

LOCALITY ½ mi. S. of Lake Fulmor

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 5500

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CHAPARRAL

CHASE FEET

REMARKS: caught by field zool. class

No bright colors on belly.

SPECIES SCELOPORUS ORCUTTI TAG NO. 169

CONTAINER NO. R11 SEX ♂ AGE ad TOE CLIP# ____

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 106

DATE MAY 21 1961 SPEEDOMETER ____

LOCALITY ½ mi. S. of Lake Fulmor

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME ____ CLOUDS(% overcast) 0

MOON ____ RELATIVE HUMIDITY(%) ____

WIND DIRECTION ____ ALTITUDE(ft) 5500

WIND VELOCITY(mi/hr) ____ ROAD TEMP. ____ °C

AIR TEMP(30 in) ____ °C AIR TEMP(1 cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT CHAPARRAL

CHASE ____ FEET

REMARKS: caught by field zool. class

Deep blue on belly

SPECIES SCELOPORUS ORCUTTI TAG NO. 170

CONTAINER NO. R11 SEX ♀ AGE ad TOE CLIP# ______

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 96

DATE MAY 21 1961 SPEEDOMETER ______

LOCALITY ½ mi. S. of Lake Fulmor

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME ______ CLOUDS(% overcast) 0

MOON ______ RELATIVE HUMIDITY(%) ______

WIND DIRECTION ______ ALTITUDE(ft) 5500

WIND VELOCITY(mi/hr) ______ ROAD TEMP. ______ °C

AIR TEMP(30 in) ______ °C AIR TEMP(1 cm) ______ °C

SOIL SURFACE TEMP ______ °C CLOACAL TEMP ______ °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CHAPARRAL

CHASE ______ FEET

REMARKS: caught by field zool. class

SPECIES SCELOPORUS ORCUTTI TAG NO. 171

CONTAINER NO. R11 SEX ♀ AGE ad TOE CLIP# ______

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 95

DATE MAY 21 1961 SPEEDOMETER ______

LOCALITY ½ mi. S. of Lake Fulmor

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME ______ CLOUDS(% overcast) 0

MOON ______ RELATIVE HUMIDITY(%) ______

WIND DIRECTION ______ ALTITUDE(ft) 5500

WIND VELOCITY(mi/hr) ______ ROAD TEMP. ______ °C

AIR TEMP(30 in) ______ °C AIR TEMP(1 cm) ______ °C

SOIL SURFACE TEMP ______ °C CLOACAL TEMP ______ °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CHAPARRAL

CHASE ______ FEET

REMARKS: caught by field zool. class

SPECIES SCELOPORUS ORCUTTI TAG NO. 172

CONTAINER NO. R40 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 95

DATE MAY 25 1961 SPEEDOMETER

LOCALITY (Box Springs Mt.) 3 mi. N. W. of Sunnymead

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1320 CLOUDS(% overcast) 70

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION NE ALTITUDE(ft) 2000

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. °C

AIR TEMP(30 in) 21.8 °C AIR TEMP(1 cm) 27.8 °C

SOIL SURFACE TEMP °C CLOACAL TEMP 32.0 °C

ROCK SURFACE TEMP 35.2 °C SUBSTRATE TEMP °C

HABITAT COASTAL SAGE SCRUB

CHASE 2 FEET

REMARKS: in sun on rock

SPECIES SCELOPORUS ORCUTTI TAG NO. 173

CONTAINER NO. R46 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 98

DATE MAY 25 1961 SPEEDOMETER

LOCALITY 4 mi. N.W. of Sunnymead

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1340 CLOUDS(% overcast) 70

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION NE ALTITUDE(ft) 2850

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. °C

AIR TEMP(30 in) 21.8 °C AIR TEMP(1 cm) 27.8 °C

SOIL SURFACE TEMP °C CLOACAL TEMP 34.8 °C

ROCK SURFACE TEMP 35.2 °C SUBSTRATE TEMP °C

HABITAT COASTAL SAGE SCRUB

CHASE 0 FEET

REMARKS: in sun on rock

SPECIES SCELOPORUS ORCUTTI TAG NO. 174

CONTAINER NO. R30 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 93

DATE MAY 25 1951 SPEEDOMETER

LOCALITY 4 mi. N.W. of Sunnymead

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1350 CLOUDS(% overcast) 70

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION N.E. ALTITUDE(ft) 2850

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. °C

AIR TEMP(30 in) 21.8 °C AIR TEMP(1 cm) 27.8 °C

SOIL SURFACE TEMP °C CLOACAL TEMP 33.6 °C

ROCK SURFACE TEMP 35.2 °C SUBSTRATE TEMP °C

HABITAT COASTAL SAGE SCRUB

CHASE 0 FEET

REMARKS: in sun on rock

SPECIES SCELOPORUS ORCUTTI TAG NO. 175

CONTAINER NO. R20 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 102

DATE June 3, 1961 SPEEDOMETER

LOCALITY 8 mi. S. of Rumorosa

COUNTY Baja CALIFORNIA

STANDARD TIME 1100 CLOUDS(% overcast) 10

MOON – RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 4300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) 27.0 °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT pinyon-juniper woodland

CHASE 8 FEET

REMARKS: in sun on rock

SPECIES SCELOPORUS ORCUTTI TAG NO. 176

CONTAINER NO. W12 SEX ♂ AGE ad TOE CLIP# ______

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 95

DATE JUN 22 1961 SPEEDOMETER ______

LOCALITY 1 mi. W. of Alessandro

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0830 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) ______

WIND DIRECTION NW ALTITUDE(ft) 1600

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. ______ °C

AIR TEMP(30 in) 27.0 °C AIR TEMP(1 cm) 31.8 °C

SOIL SURFACE TEMP ______ °C CLOACAL TEMP 34.4 °C

ROCK SURFACE TEMP 35.5 °C SUBSTRATE TEMP ______ °C

HABITAT COASTAL SAGE SCRUB

CHASE 2 FEET

REMARKS: in sun on rock

SPECIES SCELOPORUS ORCUTTI TAG NO. 177

CONTAINER NO. W7 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 110

DATE JUN 22 1961 SPEEDOMETER

LOCALITY Val Verde

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0855 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION NW ALTITUDE(ft) 1700

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. °C

AIR TEMP(30 in) 27.0 °C AIR TEMP(1 cm) 31.8 °C

SOIL SURFACE TEMP °C CLOACAL TEMP 32.8 °C

ROCK SURFACE TEMP 35.5 °C SUBSTRATE TEMP °C

HABITAT COASTAL SAGE SCRUB

CHASE 2 FEET

REMARKS: in sun on rock

SPECIES SCELOPORUS ORCUTTI TAG NO. 178

CONTAINER NO. W7 SEX ♂ AGE ad TOE CLIP# 1

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 101

DATE JUN 22 1961 SPEEDOMETER ______

LOCALITY Val Verde

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0920 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) ______

WIND DIRECTION NW ALTITUDE(ft) 1700

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. ______ °C

AIR TEMP(30 in) 27.0 °C AIR TEMP(1 cm) 31.8 °C

SOIL SURFACE TEMP ______ °C CLOACAL TEMP 35.4 °C

ROCK SURFACE TEMP 35.5 °C SUBSTRATE TEMP ______ °C

HABITAT COASTAL SAGE SCRUB

CHASE 0 FEET

REMARKS: in sun on rock

SPECIES SCELOPORUS ORCUTTI TAG NO. 179

CONTAINER NO. R10 SEX ♂ AGE ad TOE CLIP# ____

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 106

DATE JUN 22 1961 SPEEDOMETER ____

LOCALITY Val Verde

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0930 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) ____

WIND DIRECTION NW ALTITUDE(ft) 1700

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. ____ °C

AIR TEMP(30 in) ____ °C AIR TEMP(1 cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT COASTAL SAGE SCRUB

CHASE 5 FEET

REMARKS: in sun on rock

SPECIES SCELOPORUS ORCUTTI TAG NO. 180

CONTAINER NO. R10 SEX ♂ AGE ad TOE CLIP# ______

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 114

DATE JUN 22 1961 SPEEDOMETER ______

LOCALITY Val Verde

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0935 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) ______

WIND DIRECTION NW ALTITUDE(ft) 1700

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. ______ °C

AIR TEMP(30 in) ______ °C AIR TEMP(1 cm) ______ °C

SOIL SURFACE TEMP ______ °C CLOACAL TEMP 31.0 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT COASTAL SAGE SCRUB

CHASE 0 FEET

REMARKS: in shade for several minutes chased into crevice earlier.

SPECIES SCELOPORUS ORCUTTI TAG NO. 181

CONTAINER NO. R50 SEX ♂ AGE ad TOE CLIP# ______

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 110

DATE JUN 22 1961 SPEEDOMETER ______

LOCALITY Val Verde

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1010 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) ______

WIND DIRECTION NW ALTITUDE(ft) 1700

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. ______ °C

AIR TEMP(30 in) ______ °C AIR TEMP(1 cm) ______ °C

SOIL SURFACE TEMP ______ °C CLOACAL TEMP ______ °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT COASTAL SAGE SCRUB

CHASE 1 FEET

REMARKS: in sun on rock. ♀ in crack in which this lizard ran. Thought to be a pair.

SPECIES SCELOPOROUS ORCUTTI TAG NO. 182

CONTAINER NO. R50 SEX ♀ AGE ad TOE CLIP# ____

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 95

DATE JUN 22 1961 SPEEDOMETER ____

LOCALITY Val Verde

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1010 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) ____

WIND DIRECTION NW ALTITUDE(ft) 1700

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. ____ °C

AIR TEMP(30 in) ____ °C AIR TEMP(1 cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP 33.4 °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT COASTAL SAGE SCRUB

CHASE 0 FEET

REMARKS: in shade in crevice in rock.
Thought to be one of pair.

SPECIES SCELOPORUS ORCUTTI TAG NO. 183

CONTAINER NO. W10 SEX ♂ AGE ad TOE CLIP# ____

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 94

DATE JUN 23 1961 SPEEDOMETER ____

LOCALITY Val Verde

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0745 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) ____

WIND DIRECTION SE ALTITUDE(ft) 1700

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. ____ °C

AIR TEMP(30 in) 27.0 °C AIR TEMP(1 cm) 31.2 °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP 34.0 °C

ROCK SURFACE TEMP 32.0 °C SUBSTRATE TEMP ____ °C

HABITAT COASTAL SAGE SCRUB

CHASE 2 FEET

REMARKS: in sun on rock

SPECIES SCELOPORUS ORCUTTI TAG NO. 184

CONTAINER NO. W10 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 102

DATE JUN 23 1961 SPEEDOMETER

LOCALITY Val Verde

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0800 CLOUDS(% overcast) 0

MOON – RELATIVE HUMIDITY(%)

WIND DIRECTION SE ALTITUDE(ft) 1700

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. °C

AIR TEMP(30 in) 27.0 °C AIR TEMP(1 cm) 31.2 °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP 32.0 °C SUBSTRATE TEMP °C

HABITAT COASTAL SAGE SCRUB

CHASE 6 FEET

REMARKS: on rock in sun

SPECIES SCELOPORUS ORCUTTI TAG NO. 185

CONTAINER NO. W9 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) ~~133~~ 110

DATE JUN 23 1961 SPEEDOMETER

LOCALITY Val Verde

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0830 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION SE ALTITUDE(ft) 1700

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. °C

AIR TEMP(30 in) 27.0 °C AIR TEMP(1 cm) 31.2 °C

SOIL SURFACE TEMP °C CLOACAL TEMP 34.4 °C

ROCK SURFACE TEMP 32.0 °C SUBSTRATE TEMP °C

HABITAT COASTAL SAGE SCRUB

CHASE 5 FEET

REMARKS: in sun on rock

SPECIES SCELOPORUS ORCUTTI TAG NO. 186

CONTAINER NO. W9 SEX ♂ AGE ad TOE CLIP# 1

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 101

DATE JUN 25 1981 SPEEDOMETER ______

LOCALITY Val Verde

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0910 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) ______

WIND DIRECTION SE ALTITUDE(ft) 1700

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. ______ °C

AIR TEMP(30 in) ______ °C AIR TEMP(1 cm) ______ °C

SOIL SURFACE TEMP ______ °C CLOACAL TEMP 32.2 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT COASTAL SAGE SCRUB

CHASE 8 FEET

REMARKS: in sun on rock — was in shade about 5 minutes before capture.

SPECIES SCELOPORUS ORCUTTI TAG NO. 187

CONTAINER NO. R11 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 106

DATE JUN 23 1961 SPEEDOMETER

LOCALITY Val Verde

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0925 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION SE ALTITUDE(ft) 1700

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 30.6 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 8 FEET

REMARKS: in sun on rock – in shade about 5 ~~minte~~ minutes before capture.

Left oviduct	Right oviduct
16.8 x 10.5 mm.	14.8 x 9.3 mm.
14.4 x 10.3 "	15.1 x 10.0 "
15.8 x 9.0 "	14.1 x 9.5 "
15.4 x 12.0 "	15.6 x 10.0 "

SPECIES SCELOPORUS ORCUTTI TAG NO. 188

CONTAINER NO. Y5 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 96

DATE JUN 26 1961 SPEEDOMETER

LOCALITY Val Verde

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0810 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 1700

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) 26.2 °C AIR TEMP(1 cm) 30.8 °C

SOIL SURFACE TEMP °C CLOACAL TEMP 31.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT COASTAL SAGE SCRUB

CHASE 6 FEET

REMARKS: in sun on rock

SPECIES SCELOPORUS ORCUTTI TAG NO. 189

CONTAINER NO. W6 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 81

DATE JUN 26 1961 SPEEDOMETER

LOCALITY Val Verde

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0825 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 1700

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) 26.2 °C AIR TEMP(1 cm) 30.8 °C

SOIL SURFACE TEMP °C CLOACAL TEMP 30.8 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT COASTAL SAGE SCRUB

CHASE 5 FEET

REMARKS: in sun on rock

SPECIES SCELOPORUS ORCUTTI TAG NO. 190

CONTAINER NO. W12 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 86

DATE JUN 26 1961 SPEEDOMETER

LOCALITY Gavilan Hills

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0855 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 1825

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) 32.4 °C AIR TEMP(1 cm) 35.0 °C

SOIL SURFACE TEMP °C CLOACAL TEMP 34.4 °C

ROCK SURFACE TEMP 46.0 °C SUBSTRATE TEMP °C

HABITAT COASTAL SAGE SCRUB

CHASE 0 FEET

REMARKS: in sun on rock

SPECIES SCELOPORUS ORCUTTI TAG NO. 191

CONTAINER NO. R4 SEX ♂ AGE ad TOE CLIP# ____

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 113

DATE JUN 26 1961 SPEEDOMETER ____

LOCALITY Gavilan Hills

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0900 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) ____

WIND DIRECTION 0 ALTITUDE(ft) 1825

WIND VELOCITY(mi/hr) 0 ROAD TEMP. ____ °C

AIR TEMP(30 in) 32.4 °C AIR TEMP(1 cm) 35.0 °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP 30.2 °C

ROCK SURFACE TEMP 46.0 °C SUBSTRATE TEMP ____ °C

HABITAT COASTAL SAGE SCRUB

CHASE 3 FEET

REMARKS: in shade on rock

SPECIES SCELOPORUS ORCUTTI TAG NO. 192

CONTAINER NO. R37 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 100

DATE JUN 26 1961 SPEEDOMETER

LOCALITY 5 mi. W. of Perris

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0920 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 1700

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) 32.4 °C AIR TEMP(1 cm) 35.0 °C

SOIL SURFACE TEMP °C CLOACAL TEMP 32.2 °C

ROCK SURFACE TEMP 46.0 °C SUBSTRATE TEMP °C

HABITAT COASTAL SAGE SCRUB

CHASE 5 FEET

REMARKS: in shade on rock

SPECIES SCELOPORUS ORCUTTI TAG NO. 193

CONTAINER NO. — SEX ♂ AGE juv. TOE CLIP# 4

WEIGHT(gms) 3.1 SNOUT-VENT LENGTH(mm) 40

DATE Jan. 18, 1961 SPEEDOMETER

LOCALITY UCR

COUNTY Riverside CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT COASTAL SAGE SCRUB

CHASE FEET

REMARKS: Dissected 7/3/61, 67mm. S-V length, 17.5 gms.

SPECIES SCELOPORUS ORCUTTI TAG NO. 194

CONTAINER NO. — SEX ♀ AGE juv. TOE CLIP# 5

WEIGHT(gms) 3.9 SNOUT-VENT LENGTH(mm) 45

DATE Feb. 27, 1961 SPEEDOMETER

LOCALITY UCR

COUNTY Riverside CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT COASTAL SAGE SCRUB

CHASE FEET

REMARKS: Dissected 7/3/61. 60 mm. S-V length, 11.7 gms.

SPECIES SCELOPORUS ORCUTTI TAG NO. 195

CONTAINER NO. — SEX ♂ AGE juv. TOE CLIP# 8

WEIGHT(gms) 3.8 SNOUT-VENT LENGTH(mm) 45

DATE Mar. 7, 1961 SPEEDOMETER

LOCALITY UCR

COUNTY Riverside CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT COASTAL SAGE SCRUB

CHASE FEET

REMARKS: Dissected 7/3/61. 67 mm S-V length, 14.6 gms.

SPECIES SCELOPORUS ORCUTTI TAG NO. 196

CONTAINER NO. — SEX ♂ AGE juv. TOE CLIP# 15

WEIGHT(gms) 4.8 SNOUT-VENT LENGTH(mm) 48

DATE Mar. 23, 1961 SPEEDOMETER

LOCALITY UCR

COUNTY Riverside CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT COASTAL SAGE SCRUB

CHASE FEET

REMARKS: Dissected 7/3/61. 63 mm. S-V length, 12.2 gms.

SPECIES SCELOPORUS ORCUTTI TAG NO. 197

CONTAINER NO. R7 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 95

DATE AUG 8 1961 SPEEDOMETER

LOCALITY Val Verde

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0745 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION o ALTITUDE(ft) 1700

WIND VELOCITY(mi/hr) o ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 34.4 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT COASTAL SAGE SCRUB

CHASE 3 FEET

REMARKS: in sun on rock

SPECIES SCELOPORUS ORCUTTI TAG NO. 198

CONTAINER NO. R7 SEX ♀ AGE ad. TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 94

DATE AUG 8 1961 SPEEDOMETER

LOCALITY Val Verde

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0750 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 1700

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 33.2 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT COASTAL SAGE SCRUB

CHASE 3 FEET

REMARKS: in sun on rock

SPECIES SCELOPORUS ORCUTTI TAG NO. 199

CONTAINER NO. R10 SEX ♀ AGE ad TOE CLIP# ______

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 95

DATE AUG 8 1961 SPEEDOMETER ______

LOCALITY Val Verde

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0810 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) ______

WIND DIRECTION 0 ALTITUDE(ft) 1700

WIND VELOCITY(mi/hr) 0 ROAD TEMP. ______ °C

AIR TEMP(30 in) ______ °C AIR TEMP(1 cm) ______ °C

SOIL SURFACE TEMP ______ °C CLOACAL TEMP 31.6 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT COASTAL SAGE SCRUB

CHASE 3 FEET

REMARKS: in sun on rock

SPECIES SCELOPORUS ORCUTTI TAG NO. 200

CONTAINER NO. R10 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 98

DATE AUG 8 1961 SPEEDOMETER

LOCALITY Val Verde

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0835 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 1700

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 32.8 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT COASTAL SAGE SCRUB

CHASE 2 FEET

REMARKS: in sun on rock